

Manual breading workstation Metos BBSUL3622RR-3PL

AyrKing offers a manual breading workstation with integrated automatic Blender/Sifter machine. Rotary brush sifter operates without detrimental vibration or agitation. Spirally configured nylon bristles form an auger to eject unwanted dough balls to a waste container. Ingredients are fully blended as brush tumbles breading media before it exits through sifter screen. Unique process prevents dough ball grinding, eliminates usual sifting noise, & blends ingredients as it ejects waste.

- Sift and blend 14 kg of breading in 60 seconds
- Rotary auger brush blends, sifts, and ejects dough balls simultaneously
- Blending brush action prevents ingredient segregation, unlike vibrating or agitating systems
- Quiet, vibration-free operation creates results, not disturbances
- Sixty second timed cycle frees labor and saves energy
- Fully enclosed sifter with only three internal parts, reduces dust and allows quick and easy cleaning
- Direct drive, steel geared motor & solid stainless steel fabrication provide lasting performance
- Half size batter pan and sheet pan clips are reversible to best fit flow of kitchen
- Timed control board

INCLUDED PARTS: B101 Red plastic lug plug B106 Full Size S/S Pan, 8" Deep B127 Half Size S/S Pan, 6" Deep (Qty2) B219 Brush Posts (Qty2) B241 Swivel casters, four locking 5" B412 S/S C-Clip for F/S sheet pan 23" long (Qty 2) B259 Rear Sloped Shelf B127B Half Size Pan Bracket B258 Glove Hooks (Qty2) B302K Plastic Breading Lug w/ Hole B230 Drip Guard B150S Black Bristle Sifter Brush 20"



B126 S/s wire coating basket B132NF S/s wire basket to fit $\frac{1}{2}$ pan (no feet) B126 S/s wire coating basket B132NF S/s wire basket to fit $\frac{1}{2}$ pan (no feet)	



Manual breading workstation Metos BBSUL3622RR-3PL

Product capacity	14 kg of breading/60 sec.
Item width mm	560/829
Item depth mm	900
Item height mm	912/1364
Package volume	1.107
Unit of volume	m3
Package volume	1.107 m3
Package length	102
Package width	70
Package height	155
Package unit of dimension	cm
Package dimensions (LxWxH)	102x70x155 cm
Net weight	84
Net weight	84 kg
Gross weight	108
Package weight	108 kg
Unit of weight	kg
Connection power kW	0.207
Fuse Size A	0.9
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50/60
Electrical cable length mm	2438
Type of electrical connection	Plug
Remarks (electrical)	NEMA5-15P male three prong plu
Operation type	electromechanical
Cleaning	hand wash