

Tumble dryer Metos T13 HP FCT with heat pump

Dryer with heat pump. Standard stainless steel \varnothing 760 mm drum, volume 285 litres

- drying average 120 g/min.
- short drying time
- maximal heat transfer
- low energy consumption
- large glass door
- Ø 600 mm opening for easy loading and unloading
- self cleaning lint screen
- full control programmer (FCT)
- sliding base frame





Tumble dryer Metos T13 HP FCT with heat pump

Product capacity	13 kg
Item width mm	795
Item depth mm	1615
Item height mm	1680
Package volume	2.495
Unit of volume	m3
Package volume	2.495 m3
Package length	85.5
Package width	163.5
Package height	178.5
Package unit of dimension	cm
Package dimensions (LxWxH)	85.5x163.5x178.5 cm
Net weight	360
Net weight	360 kg
Gross weight	400
Package weight	400 kg
Unit of weight	kg
Connection power kW	4.3
Fuse Size A	10
Connection voltage V	380-415
Number of phases	3NPE
Frequency Hz	50
Protection rating (IP)	43
Type of electrical connection	Semifixed
Operation type	electronical
Drum material	stainless steel
Programmability	ready programs
Amount of programs	3
Insulation	insulated

Tumble dryer Metos T13 HP FCT with heat pump