

Vertical freezer display Metos Luxor Classic Slim KG6G

Metos Luxor Classic Slim KG6G is an elegant, innovative and adaptable vertical slim freezer display that creates an attractive and exclusive environment for the products sold. In addition to the walls and shelves that are made of hardened glass, the thin rack shelves that are powered with static cooling allow for an unobstructed view of the products inside the display.

At only 60 cm wide, the Metos Luxor Classic Slim KG6G vertical freezer display is intended for storing of frozen confectionery products and ice-cream. Equipped with five (450x460 mm) rack shelves, one glass shelf, LED-lights and a right hinged door, the vertical cold display creates a clear and light frame for products. The display's cold area can be set to between -25°C...-15°C. The display has a static cooler, which distributes the air evenly across the whole area.

The lower part of the display is made of stainless steel with an anti-fingerprint serigraphy surface. The lower part of the frame masterfully hides the wheels, enabling the easy movability of the display.

- five cold rack shelves (450x460 mm) and a glass shelf (450x420 mm)
- cold area -25°...-15°C
- right hinged door
- LED-lights at the front of the display, behind the door
- electronic control board with a digital screen
- HACCP alarm system
- manual melting
- heating elements that prevent the compression of moisture
- stainless steel lower frame, grey silk printed display frame, hardened glass walls, stainless steel shelf support system
- the display works in an environment



where the max. temperature is $+30^{\circ}$ C and the relative humidity is 55%

Delivery includes:

- five rack shelves and a glass shelf where the max. temperature is +30°C and the relative humidity is 55%

Delivery includes:

- five rack shelves and a glass shelf



Vertical freezer display Metos Luxor Classic Slim KG6G

Product capacity	324 litres
Item width mm	600
Item depth mm	645
Item height mm	1840
Package volume	1.136
Unit of volume	m3
Package volume	1.136 m3
Package length	74
Package width	76
Package height	202
Package unit of dimension	cm
Package dimensions (LxWxH)	74x76x202 cm
Net weight	200
Net weight	200 kg
Gross weight	222
Package weight	222 kg
Unit of weight	kg
Connection power kW	0.85
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50
Type of electrical connection	Plug
Electrical conn. height mm	50
Type of the refrigerant	R290
Remarks (refrigeration)	-25°C/-15°C