

# Vertical cold display Metos Luxor KP8V white

Metos Luxor KP8V is an elegant, innovative and adaptable vertical slim display that creates an attractive and exclusive environment for the products sold. In addition to the walls and shelves that are made of hardened glass, the barely noticeable shelf support system allows for an unobstructed view of the products inside the display.

The Metos Luxor KP8V vertical display is intended for storing confectionery products and drinks. Equipped with five (700x470 mm) glass shelves, shade adjustable LED-lights and a right hinged door, the vertical cold display creates a clear and light frame for products. The display's cold area can be set to between +2°C...+10°C. The display has a cooling system with a fan, which distributes the air evenly across the whole area.

The display's frame is covered with white (RAL 9010) silk printing. The lower part of the frame masterfully hides the wheels, enabling the easy movability of the display. The display has an automatic melting and water evaporating system.

- five glass shelves (700x470 mm), weight limit 12 kg/per shelf
- cold area +2°...+10°C
- right hinged door
- LED-lights at the corners, shade adjustable between 3000-6000K
- electronic control board with a digital screen
- HACCP alarm system
- automatic melting and water evaporating system
- white silk printed frame, hardened glass walls and shelves, stainless steel shelf support system
- the display works in an environment where the max. temperature is +30°C and the relative humidity is 55%

Delivery includes:



- five glass shelves with support system

Optional accessories (order separately):

- extra glass shelf with support system
- bottle rack shelf for 14 bottles
- five glass shelves with support system

Optional accessories (order separately):

- extra glass shelf with support system
- bottle rack shelf for 14 bottles

## Vertical cold display Metos Luxor KP8V white

Product capacity	490 litres
Item width mm	805
Item depth mm	645
Item height mm	1840
Package volume	1.366
Unit of volume	m3
Package volume	1.366 m3
Package length	89
Package width	76
Package height	202
Package unit of dimension	cm
Package dimensions (LxWxH)	89x76x202 cm
Net weight	225
Net weight	225 kg
Gross weight	247
Package weight	247 kg
Unit of weight	kg
Connection power kW	0.55
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50
Type of electrical connection	Plug
Electrical conn. height mm	50
Type of the refrigerant	R290
Remarks (refrigeration)	+2°C/+10°C