

Upper shelf Metos Proff 800 Metos Proff SKY-HFG

SKY upper shelf with infrared radiator. Width of upper shelf 300 mm

- shelf made of hardened glass
- construction and upper shelf of stainless steel
- one-sided sneeze guard of tempered glass, turnable
- to be orderer with a Proff equipments

Accessory:

- side glas



Upper shelf Metos Proff 800 Metos Proff SKY-HFG

Item width mm	750
Item depth mm	300/562
Item height mm	400
Package volume	0.189
Unit of volume	m3
Package volume	0.189 m3
Package length	77
Package width	58.5
Package height	42
Package unit of dimension	cm
Package dimensions (LxWxH)	77x58.5x42 cm
Net weight	25.5
Net weight	25.5 kg
Gross weight	25.5
Package weight	25.5 kg
Unit of weight	kg
Connection power kW	0.4
Fuse Size A	16
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50/60
Startup current A	1.8
Protection rating (IP)	43
Type of electrical connection	Semifixed

Upper shelf Metos Proff 800 Metos Proff SKY-HFG

Product capacity	800x650mm plane + 8 GN1/1-100
Item width mm	800
Item depth mm	650
Item height mm	900
Package volume	0.701

Upper shelf Metos Proff 800 Metos Proff SKY-HFG

Unit of volume	m3
Package volume	0.701 m3
Package length	85
Package width	75
Package height	110
Package unit of dimension	cm
Package dimensions (LxWxH)	85x75x110 cm
Net weight	45
Net weight	45 kg
Gross weight	57
Package weight	57 kg
Unit of weight	kg
Connection power kW	0.3
Fuse Size A	16
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50/60
Startup current A	1.3
Protection rating (IP)	43
Type of electrical connection	Plug
Operation type	electromechanical
Cleaning	hand wash
Number of chambers	2
Power range kW	0.3
Lighting	without lighting
Fill in trolleys	No
Humidification	No
Timer	No

Upper shelf Metos Proff 800 Metos Proff SKY-HFG

Product capacity	800x650mm plane + 8 GN1/1-100
------------------	-------------------------------

Upper shelf Metos Proff 800 Metos Proff SKY-HFG

Item width mm	800
Item depth mm	650
Item height mm	900
Package volume	0.701
Unit of volume	m3
Package volume	0.701 m3
Package length	85
Package width	75
Package height	110
Package unit of dimension	cm
Package dimensions (LxWxH)	85x75x110 cm
Net weight	85
Net weight	85 kg
Gross weight	85
Package weight	85 kg
Unit of weight	kg
Connection power kW	0.8
Fuse Size A	16
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50/60
Startup current A	3.5
Protection rating (IP)	43
Type of electrical connection	Plug
Cleaning	hand wash
GN size	8 GN1/1-100
Number of chambers	2
Power range kW	0.8
Fill in trolleys	No

Upper shelf Metos Proff 800 Metos Proff SKY-HFG

Humidification	No
Timer	No

Upper shelf Metos Proff 800 Metos Proff SKY-HFG

Product capacity	800x650mm plane + 8 GN1/1-100
Item width mm	800
Item depth mm	650
Item height mm	900
Package volume	0.701
Unit of volume	m3
Package volume	0.701 m3
Package length	85
Package width	75
Package height	110
Package unit of dimension	cm
Package dimensions (LxWxH)	85x75x110 cm
Net weight	85
Net weight	85 kg
Gross weight	85
Package weight	85 kg
Unit of weight	kg
Connection power kW	0.8
Fuse Size A	16
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50/60
Startup current A	3.5
Protection rating (IP)	43
Type of electrical connection	Plug

Upper shelf Metos Proff 800 Metos Proff SKY-HFG

Item width mm	800
Item depth mm	650

Upper shelf Metos Proff 800 Metos Proff SKY-HFG

Item height mm	900
Package volume	0.655
Unit of volume	m3
Package volume	0.655 m3
Package length	85
Package width	70
Package height	110
Package unit of dimension	cm
Package dimensions (LxWxH)	85x70x110 cm
Net weight	95
Net weight	95 kg
Gross weight	119
Package weight	119 kg
Unit of weight	kg
Connection power kW	0.8
Fuse Size A	16
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50
Startup current A	3.5
Protection rating (IP)	43
Type of electrical connection	Plug
Operation type	electromechanical
Cleaning	hand wash
GN size	5xGN1/1-150
Power range kW	0.8
Lighting	without lighting
Amount of drawers	5
Humidification	No

Upper shelf Metos Proff 800 Metos Proff SKY-HFG

Timer	No
-------	----

Upper shelf Metos Proff 800 Metos Proff SKY-HFG

Item width mm	800
---------------	-----

Item depth mm	650
Item height mm	900
Package volume	0.655
Unit of volume	m3
Package volume	0.655 m3
Package length	85
Package width	70
Package height	110
Package unit of dimension	cm
Package dimensions (LxWxH)	85x70x110 cm
Net weight	95
Net weight	95 kg
Gross weight	95
Package weight	95 kg
Unit of weight	kg
Connection power kW	0.3
Fuse Size A	16
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50/60
Startup current A	1.3
Protection rating (IP)	43
Type of electrical connection	Plug
Operation type	electromechanical
Cleaning	hand wash
GN size	5
Power range kW	0.3

Upper shelf Metos Proff 800 Metos Proff SKY-HFG

Lighting	without lighting
Fill in trolleys	No
Humidification	No
Timer	No

Upper shelf Metos Proff 800 Metos Proff SKY-HFG

Product capacity	2xGN1/1-210 + 6XGN1/1-100
Item width mm	800
Item depth mm	650
Item height mm	900
Package volume	0.655
Unit of volume	m3
Package volume	0.655 m3
Package length	85
Package width	70
Package height	110
Package unit of dimension	cm
Package dimensions (LxWxH)	85x70x110 cm
Net weight	75
Net weight	75 kg
Gross weight	80
Package weight	80 kg
Unit of weight	kg
Connection power kW	1.4
Fuse Size A	16
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50/60
Startup current A	6.1
Protection rating (IP)	43
Type of electrical connection	Plug

Upper shelf Metos Proff 800 Metos Proff SKY-HFG

Operation type	electromechanical
Cleaning	hand wash
GN size	GN2/1 - 210
Number of chambers	2
Power range kW	1.4
Lighting	without lighting
Fill in trolleys	No

Humidification	No
Timer	No

Upper shelf Metos Proff 800 Metos Proff SKY-HFG

Product capacity	2xGN1/1-210 + 6XGN1/1-100
Item width mm	800
Item depth mm	650
Item height mm	900
Package volume	0.655
Unit of volume	m3
Package volume	0.655 m3
Package length	85
Package width	70
Package height	110
Package unit of dimension	cm
Package dimensions (LxWxH)	85x70x110 cm
Net weight	80
Net weight	80 kg
Gross weight	85
Package weight	85 kg
Unit of weight	kg
Connection power kW	1.4
Fuse Size A	16
Connection voltage V	230

Upper shelf Metos Proff 800 Metos Proff SKY-HFG

Number of phases	1NPE
Frequency Hz	50/60
Startup current A	6.1
Protection rating (IP)	43
Type of electrical connection	Plug
Operation type	electromechanical
Cleaning	hand wash
GN size	2xGN1/1-210 + 6XGN1/1-100

Power range kW	1.4
Lighting	without lighting
Fill in trolleys	No
Humidification	No
Timer	No

Upper shelf Metos Proff 800 Metos Proff SKY-HFG

Product capacity	GN2/1-200 bain marie
Item width mm	800
Item depth mm	650
Item height mm	900
Package volume	0.505
Unit of volume	m3
Package volume	0.505 m3
Package length	82
Package width	67
Package height	92
Package unit of dimension	cm
Package dimensions (LxWxH)	82x67x92 cm
Net weight	46
Net weight	46 kg
Gross weight	65
Package weight	65 kg

Upper shelf Metos Proff 800 Metos Proff SKY-HFG

Unit of weight	kg
Connection power kW	1.1
Fuse Size A	16
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50/60
Startup current A	4.8
Protection rating (IP)	43
Type of electrical connection	Plug
Operation type	electromechanical

Cleaning	hand wash
GN size	GN2/1 210 mm
Power range kW	1.1
Lighting	without lighting
Fill in trolleys	No
Humidification	No
Timer	No

Upper shelf Metos Proff 800 Metos Proff SKY-HFG

Product capacity	2 X GN1/1-150 bain marie
Item width mm	800
Item depth mm	650
Item height mm	900
Package volume	0.468
Unit of volume	m3
Package volume	0.468 m3
Package length	80
Package width	65
Package height	90
Package unit of dimension	cm
Package dimensions (LxWxH)	80x65x90 cm

Upper shelf Metos Proff 800 Metos Proff SKY-HFG

Net weight	70
Net weight	70 kg
Gross weight	70
Package weight	70 kg
Unit of weight	kg
Connection power kW	1.1
Fuse Size A	16
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50/60
Startup current A	4.8
Protection rating (IP)	43

Type of electrical connection	Plug
Operation type	electromechanical
Cleaning	hand wash
GN size	2 X GN1/1-150
Power range kW	1.1
Lighting	without lighting
Fill in trolleys	No
Humidification	No
Timer	No