

# Blast chiller room Metos

## MBC181RB-PNR (RC)

Blast chiller without floor. Dimensioning for one GN1 / 1 trolley

- with remote cooling connection, machine unit not included
- suitable for blast chilling and thawing
- net internal dimensions of the room: (WxDxH) 689 x 830 x 1820 mm
- electronic control and adjustable fan speed
- large impact shields to protect the inside walls of the device
- programming panel at an ergonomic height at the top of the door
- product sensor with four measuring points
- ergonomic, full-length opening handle
- durable copper-aluminum evaporator
- a tightly closing door and 80 mm thick polyurethane insulation improve energy efficiency
- environmentally friendly polyurethane insulation, propelled by water- carbon dioxide
- control of the cooling process by means of the internal temperature and surface temperature of the product
- measurement and precise control of the smelting process by means of temperature and humidity
- easy and fast use with preset programs
- pre-cooling function
- possibility to adjust the speeds of the evaporator fans during the cooling process
- automatic transition to storage mode at the end of the rapid cooling process
- stainless steel outer and inner lining
- rounded inner corners make cleaning easier
- the declared capacities (kg / h) are nominal values and are not achievable with all foods and under all conditions.

ACCESSORIES (to be ordered separately):

- self-monitoring systems
- refrigeration unit




## Blast chiller room Metos MBC181RB-PNR (RC)

Product capacity	90kg/+70...+3
Item width mm	890
Item depth mm	1325
Item height mm	1940
Package volume	5.126
Unit of volume	m3
Package volume	5.126 m3
Package length	125
Package width	176
Package height	233
Package unit of dimension	cm
Package dimensions (LxWxH)	125x176x233 cm
Net weight	450
Net weight	450 kg
Gross weight	670
Package weight	670 kg
Unit of weight	kg
Connection power kW	2.841
Fuse Size A	6
Connection voltage V	400
Number of phases	3NPE
Frequency Hz	50
Type of electrical connection	Semifixed
Cooling capacity W	2170
Condensing temperature °C	+45
Evaporation temperature °C	-25
Type of the refrigerant	R452A/R448A/R449A
Remarks (refrigeration)	remote cooling
Cooling unit	Remote cooled

**Blast chiller room Metos MBC181RB-PNR (RC)**

**metos**

## 181RB-PNR



- ③1 INGRESSO REFRIGERANTE ø 12  
REFRIGERANT INLET ø 12
  - ③2 USCITA REFRIGERANTE ø 22  
REFRIGERANT OUTLET ø 22
  - (E) CONNESSIONE ELETTRICA  
ELECTRICAL CONNECTION
  - (W) CONNESSIONE SCARICO 1/2"  
DRAIN CONNECTION 1/2"
- DIMENSIONI mm  
DIMENSIONS [in]