

Coffee machine Metos OptiBean X23 with white panel

Metos OptiBean X23 white with the precision in the taste has an X-press brewer, with variable tamping pressure and a recommended daily output: up to 250 beverages. The cup tray is adjustable between 60-115 mm, with maximum height of the tap at 170 mm.

A strong espresso, the perfect cappuccino, a delicious lungo – whatever you prefer to drink; true flavour is in the smallest details. Double outlet for the real espresso experience and a separate hot water tap. The brewing time for a 120 ml cup is 25-30 seconds.

Easy to use support on the swipe 7" touch screen with intuitive user-interface. White colored front panel and wooden side panels. Ceramic grinding mechanism (Ditting®) for ultra long-life (±150.000 cups)TWO in ONE; espresso and fresh brew coffee with the help of the variable tamping pressure,7 levels to choose from.

- Swiss made X-press espresso brewer capacity: 6-20 grams/25-350 ml
- capacity bean hopper: 2 x 1 kg / 270 cups, one grinder
- instant canisters: 2 x 0,9 ltr and 1 x 1,4 ltr
- two ingredient mixers, with adjustable mixer speed (RPM)
- hourly capacity: 80 cups of single brew, 160 cups of double brew
- by-pass as a standard feature
- waste compartment: 140 pucks
- double cup in one cycle
- easy to clean with easy user support on screen (with animations)
- strength control (also for milk and sugar)
- different background colours in display
- easy to swipe 7" touch screen with intuitive user-interface
- screen saver to show logo, image, video
- OptiLight LED



lighting (any colour, RGB)

- separate hot water tap
- intelligent Energy Save Mode

Options(not included in the price):

- OptiBean X prepared with an extra option for dispensing cold water
- black front and side panels
- cup detection
- cup dispenser
- cup heater
- contacless payment system
- enlargement set for bean hopper
- base cabinet
- cleaning products
- water treatment cartridge lighting (any colour, RGB)
- separate hot water tap
- intelligent Energy Save Mode

Options(not included in the price):

- OptiBean X prepared with an extra option for dispensing cold water
- black front and side panels
- cup detection
- cup dispenser
- cup heater
- contacless payment system
- enlargement set for bean hopper
- base cabinet
- cleaning products
- water treatment cartridge



Coffee machine Metos OptiBean X23 with white panel

Item width mm Item depth mm 567 Item height mm 780 Package volume 0.154 Unit of volume m3 Package volume 0.154 m3 Package length 45 Package width 60 Package width Package height 80 Package unit of dimension Package dimensions (LxWxH) Net weight 25 Net weight Real rate weight 20 kg	
Item height mm Package volume 0.154 Unit of volume m3 Package volume 0.154 m3 Package length 45 Package width Package width Package height 80 Package unit of dimension Package dimensions (LxWxH) Net weight 25 Net weight Gross weight 780 0.154 M3 Package volume 0.154 m3 Package length 45 Columnation Mackage width 60 Package width 80 Package unit of dimension Cm Package dimensions (LxWxH) 45x60x80 cm Net weight 25 kg	
Package volume Unit of volume m3 Package volume 0.154 m3 Package length 45 Package width Package height 80 Package unit of dimension Package dimensions (LxWxH) Net weight 25 Net weight Gross weight 0.154 45 60 25 kg Gross weight	
Unit of volume m3 Package volume 0.154 m3 Package length 45 Package width 60 Package height 80 Package unit of dimension cm Package dimensions (LxWxH) 45x60x80 cm Net weight 25 Net weight 25 kg Gross weight 30	
Package volume Package length 45 Package width Package height 80 Package unit of dimension Package dimensions (LxWxH) Net weight 25 Net weight Gross weight 0.154 m3 45 45 80 Package width 80 Package of dimension Cm 25 Net weight 30	
Package length 45 Package width 60 Package height 80 Package unit of dimension cm Package dimensions (LxWxH) 45x60x80 cm Net weight 25 Net weight 25 kg Gross weight 30	
Package width60Package height80Package unit of dimensioncmPackage dimensions (LxWxH)45x60x80 cmNet weight25Net weight25 kgGross weight30	
Package height 80 Package unit of dimension cm Package dimensions (LxWxH) 45x60x80 cm Net weight 25 Net weight 25 kg Gross weight 30	
Package unit of dimension cm Package dimensions (LxWxH) 45x60x80 cm Net weight 25 Net weight 25 kg Gross weight 30	
Package dimensions (LxWxH) 45x60x80 cm Net weight 25 Net weight 25 kg Gross weight 30	
Net weight25Net weight25 kgGross weight30	
Net weight 25 kg Gross weight 30	
Gross weight 30	
<u> </u>	
Dockers weight 20 km	
Package weight 30 kg	
Unit of weight kg	
Connection power kW 1.95	
Fuse Size A 10	
Connection voltage V 220-240	
Number of phases 1NPE	
Frequency Hz 50/60	
Cold water diam. 3/4"	
Remarks (drain) Floor drain not needed	
Energy class rating A	