

High Speed oven Metos Merrychef Connex16 High Power S/S

The Metos Merrychef High Power ConneX®16 has the largest cavity to smallest oven width of any high speed oven on the market. An all-in-one unit ideally suited to rapidly cook, toast, grill and reheat fresh or frozen food, eliminating the need for other appliances. Cooking up to 20x faster than other cooking methods.

- High speed Technology® combines three heat technologies: / Microwave max 2000W; Microwave setting options: Off and 5-100% in 1% increments. Microwave distribution system uses a rotating active antenna to ensure even heating throughout the food. / Convection max 3200W; Temperature setting options: Off and 100°C to 275°C in 1°C increments. / The Heat distribution system is via Tuned Impingement, ensuring the most even browning. / Combination mode 2000W+3200W
- Large cavity 41.3cm x 41.3cm to oven width 45.8cm ratio, and fits on a 700mm worktop
- Easy to install due to ventless cooking capabilities through a built-in catalytic converter, eliminates the need for an extraction fan
- Cool to touch exterior makes it safe to locate anywhere with no need to allow space around the unit
- Easy to operate with a 7" HD widescreen display and new generation easyTouch®2.0, icon driven controller, ensuring consistent, high quality dishes
- Stainless steel cavity and casework, with a sealed rounded edged cavity makes it easy to clean
- Patented easy access front mounted monitored air filter
- Wi-fi/ethernet connected with access to KitchenConnect cloud for easy menu updates (or, via a USB memory stick)
- Stainless steel finish



Included accessories / Flat cook plate / Guarded hand paddle with supporting side walls / Cooking tray, full size / Cool down pan / Cook plate liner

Included accessories / Flat cook plate / Guarded hand paddle with supporting side walls / Cooking tray, full size / Cool down pan / Cook plate liner

High Speed oven Metos Merrychef Connex16 High Power S/S

Product capacity	cavity 45,8x41,3x41,3cm
Item width mm	459
Item depth mm	683
Item height mm	619
Package volume	0.437
Unit of volume	m3
Package volume	0.437 m3
Package length	62
Package width	82
Package height	86
Package unit of dimension	cm
Package dimensions (LxWxH)	62x82x86 cm
Net weight	67.2
Net weight	67.2 kg
Gross weight	79.2
Package weight	79.2 kg
Unit of weight	kg
Connection power kW	5.8
Fuse Size A	32
Connection voltage V	400
Number of phases	3NPE
Frequency Hz	50
Protection rating (IP)	X3
Electrical cable length mm	1800
Type of electrical connection	Semifixed
Sound level dB	65