

Pressure fryer Henny Penny PFE 500-8000

Patented lid-lock system keeps lid locked until pressure reaches 1 psi. Computron 8000 features 10 programmable cook cycles, load compensation, idle/melt/clean-out modes, proportional control, water detection alert, an optional filter prompt, customizable filter tracking and a 16-character digital display with multiple language settings

- efficient heating elements generate heat quickly and save energy
 - a cold zone under the heating elements helps to extend the life of the oil
 - overheating protection
 - built-in filtration system
 - the cast aluminum alloy lid is strong but light, so it is easy to handle
 - the raised edge of the lid reduces splashes
 - Stainless steel construction for easy cleaning
-
- 4 x wheels, 2 lockable
 - programmable
 - LED Time / Temp display
 - simple UP / DOWN arrows
 - volume of oil 25 liters
 - capacity 6.4kg product

Accessories (included in the price):

- 4-layer basket
- gasket package



Pressure fryer Henny Penny PFE 500-8000

Product capacity	25 L oil, 6,4 kg product
Item width mm	483
Item depth mm	990
Item height mm	1219
Package volume	1.619
Unit of volume	m3
Package volume	1.619 m3
Package length	56
Package width	115
Package height	142
Package unit of dimension	cm
Package dimensions (LxWxH)	56x115x142 cm
Net weight	140
Net weight	140 kg
Gross weight	154
Package weight	154 kg
Unit of weight	kg
Connection power kW	11.25
Fuse Size A	32
Connection voltage V	400
Number of phases	3NPE
Frequency Hz	50
Protection rating (IP)	X3
Type of electrical connection	Semifixed
Electrical conn. height mm	300
Type	electric
Operation type	electronical
Cleaning	automatic washing;machine washable;hand wash;washing program
Data transfer	SIM

Pressure fryer Henny Penny PFE 500-8000

Programmability	ready programs;programmable
Temperature probe	No
Oil filtering	Yes
Timer	Yes