

## Induction range with convection oven Metos Falcon E3913i 400

Induction range with 4 induction cooking zones with convection oven.

Range:

- 4 x round zone 270mm á 3,5 kW.
- in-built pan detection
- 10 step power regulation.
- 6 mm thick glass ceramic working top
- entirely made of stainless steel.

Oven:

- fan assisted GN 1/1 size oven
- 5 pairs of U shape grids, pitch is 62 mm
- cooking cabinet, door and external surfaces stainless steel
- temperature: +100 - 270°C
- glass panels in oven doors
- 2 grids 530 x 500 mm included

Optional extras:

- additional grids 530x500 mm




## Induction range with convection oven Metos Falcon E3913i 400

Product capacity	4 cooking zones, oven 2xGN1/1
Item width mm	900
Item depth mm	870
Item height mm	900
Package volume	0.831
Unit of volume	m3
Package volume	0.831 m3
Package length	95
Package width	100
Package height	100
Package unit of dimension	cm
Package dimensions (LxWxH)	95x100x100 cm
Net weight	140
Net weight	140 kg
Gross weight	160
Package weight	160 kg
Unit of weight	kg
Connection power kW	20
Fuse Size A	32
Connection voltage V	400
Number of phases	3NPE
Frequency Hz	50
Protection rating (IP)	IPX3
Type of electrical connection	Semifixed



## METOS FALCON



*This document may not be copied in part or in whole by any process nor passed on to a third party without the written permission of the owner Metos Oy Ab.*