

## Hand out shelf, fixed Metos Proff HS-1600

The constuction is made of stainless steel and tempered glass.  
The glass part is easy to remove for cleanin



## Hand out shelf, fixed Metos Proff HS-1600

Item width mm	1595
Item depth mm	210
Item height mm	300
Package volume	0.01
Unit of volume	m3
Package volume	0.01 m3
Package length	0
Package width	0
Package height	0
Package dimensions (LxWxH)	0x0x0
Net weight	11
Net weight	11 kg
Gross weight	11
Package weight	11 kg
Unit of weight	kg

## Hand out shelf, fixed Metos Proff HS-1600

Item width mm	1600
Item depth mm	650
Item height mm	900
Package volume	1.271
Unit of volume	m3
Package volume	1.271 m3
Package length	165
Package width	70
Package height	110
Package unit of dimension	cm
Package dimensions (LxWxH)	165x70x110 cm
Net weight	85
Net weight	85 kg
Gross weight	105

## Hand out shelf, fixed Metos Proff HS-1600

Package weight	105 kg
Unit of weight	kg
Connection power kW	2.8
Fuse Size A	16
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50
Startup current A	13
Protection rating (IP)	43
Type of electrical connection	Plug
Operation type	electromechanical
Cleaning	hand wash
GN size	GN4/1 210 mm + 12 GN1/1-100
Number of chambers	4
Power range kW	2.8
Lighting	without lighting
Fill in trolleys	No
Humidification	No
Timer	No

## Hand out shelf, fixed Metos Proff HS-1600

Item width mm	1600
Item depth mm	650
Item height mm	900
Package volume	1.271
Unit of volume	m3
Package volume	1.271 m3
Package length	165
Package width	70
Package height	110
Package unit of dimension	cm

## Hand out shelf, fixed Metos Proff HS-1600

Package dimensions (LxWxH)	165x70x110 cm
Net weight	95
Net weight	95 kg
Gross weight	115
Package weight	115 kg
Unit of weight	kg
Connection power kW	2.8
Fuse Size A	16
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50
Startup current A	13
Protection rating (IP)	43
Type of electrical connection	Plug
Operation type	electromechanical
Cleaning	hand wash
GN size	4x1/1 + 12 GN1/1-100
Number of chambers	4
Power range kW	2.8
Lighting	without lighting
Fill in trolleys	No
Humidification	No
Timer	No

## Hand out shelf, fixed Metos Proff HS-1600

Item width mm	1600
Item depth mm	650
Item height mm	900
Package volume	0.965
Unit of volume	m3
Package volume	0.965 m3

## Hand out shelf, fixed Metos Proff HS-1600

Package length	165
Package width	65
Package height	90
Package unit of dimension	cm
Package dimensions (LxWxH)	165x65x90 cm
Net weight	100
Net weight	100 kg
Gross weight	100
Package weight	100 kg
Unit of weight	kg
Connection power kW	2.2
Fuse Size A	16
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50
Startup current A	9.6
Protection rating (IP)	43
Type of electrical connection	Plug
Operation type	electromechanical
Cleaning	hand wash
GN size	GN4/1-210
Power range kW	2.2
Lighting	without lighting
Fill in trolleys	No
Humidification	No
Timer	No

## Hand out shelf, fixed Metos Proff HS-1600

Item width mm	1600
Item depth mm	650
Item height mm	900

## Hand out shelf, fixed Metos Proff HS-1600

Package volume	0.965
Unit of volume	m3
Package volume	0.965 m3
Package length	165
Package width	65
Package height	90
Package unit of dimension	cm
Package dimensions (LxWxH)	165x65x90 cm
Net weight	60
Net weight	60 kg
Gross weight	67
Package weight	67 kg
Unit of weight	kg
Connection power kW	2.2
Fuse Size A	16
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50
Startup current A	10
Protection rating (IP)	43
Type of electrical connection	Plug
Operation type	electromechanical
Cleaning	hand wash
GN size	GN1/1-210
Power range kW	2.2
Lighting	without lighting
Fill in trolleys	No
Humidification	No
Timer	No

## Hand out shelf, fixed Metos Proff HS-1600