

Grill drawer Metos Eco GR-2000-GN2L-GN2L-GN2L-GN2L-MU

Metos Proff GR-2000-GN2L-GN2L-GN2L-GN2L-MU grill drawer counter's height is 650 mm, which allows placing grill units on the top of the counter. Metos Proff refrigeration and dispensing equipment are designed for different purposes of the professional kitchens and can function as separate units as well as the complete sets of distribution lines. Convertibility, easy-to-operate elements, seamless connectivity of the furniture and equipment and last but not the least, their hygiene, ergonomics and easy cleaning - these are the features that Proff-equipment brings to your kitchen.

Lowered Metos Proff GR-2000-GN2L-GN2L-GN2L-GN2L-MU grill drawer counter has drawers eight GN1/1-150 containers. Over extension telescopic slides enable the easy replacement of the GN-containers as well as the flawless and quick opening and closing of the drawers.

The top surface of the grill drawer counter is well insulated, which prevents the heat from the grilling devices from reaching the cold spaces. The temperature adjustment range of the refrigerator is from +3°C to +10°C. The cast urethane insulation keeps the cool air inside the device and the efficient cooling fan distributes the air evenly all over the drawer. This cold drawer counter has an electronic control with a digital temperature display. The control panel is retracted and thus protected from any collisions.

Hygienic stainless steel countertop's rounded corners and tool-free removable drawer slides make it easy to clean the grill drawer counter. Ergonomic and smooth surface with plastic handles can be



easily kept clean. Removable and washable filter at the front part of the condenser keeps the cool air inside the device clean and at the same time prevents the device from getting dirty. The device has an automatic defrosting and evaporation of the meltwater, as well as a standard drainage possibility. The sealing gaskets of the drawers can be replaced without any tools. Grill drawer counter is supplied with connectors for power cables at the bottom of the device, making it easier to keep the floor under the device clean.

- the height of the device is 650 mm
- capacity 8xGN1/1-150 drawers (GN-containers are not included in the delivery)
- over extension telescopic slides
- temperature adjustment range is +3°... +10°C
- digital temperature screen
- electronic control
- stainless steel structure
- cast urethane gasket
- removable and washable condenser filter
- automatic defrosting and evaporation of meltwater
- easy-to-change gaskets
- nondetachable refrigerator at the right side of the device
- adjustable feet +20...-45 mm
- refrigerant R290

THE DELIVERY INCLUDES:

- connectors for power cables

ACCESSORIES (to be ordered separately):

- GN containers
- bottom panel for the drawer
- drawer's internal frame for GN-containers of different sizes
- connectable device for the central hook piece
- Brine-cooled device easily kept clean. Removable and washable filter at the front part of the condenser keeps the cool air inside the device clean and at the same time prevents the device from getting dirty. The device has an automatic defrosting and evaporation of the meltwater, as well as a standard drainage possibility. The sealing gaskets of the drawers can be replaced without any tools. Grill drawer counter is supplied with connectors for power cables at the bottom of the device, making it easier to keep the floor under the device clean.

- the height of the device is 650 mm
- capacity 8xGN1/1-150 drawers (GN-containers are not included in the delivery)
- over extension telescopic slides
- temperature adjustment range is +3°... +10°C
- digital temperature screen
- electronic control
- stainless steel structure
- cast urethane gasket
- removable and washable condenser filter
- automatic defrosting and evaporation of meltwater
- easy-to-change gaskets
- nondetachable refrigerator at the right side of the device
- adjustable feet +20...-45 mm
- refrigerant R290

THE DELIVERY INCLUDES:

- connectors for power cables

ACCESSORIES (to be ordered separately):

- GN containers
- bottom panel for the drawer
- drawer's internal frame for GN-containers of different sizes
- connectable device for the central hook piece
- Brine-cooled device

Grill drawer Metos Eco GR-2000-GN2L-GN2L-GN2L-GN2L-MU

Product capacity	8 x GN1/1-150
Item width mm	2000
Item depth mm	650
Item height mm	650
Package volume	1.005
Unit of volume	m3
Package volume	1.005 m3
Package length	205
Package width	70
Package height	70
Package unit of dimension	cm
Package dimensions (LxWxH)	205x70x70 cm
Net weight	135.17
Net weight	135.17 kg
Gross weight	166.17
Package weight	166.17 kg
Unit of weight	kg
Connection power kW	0.53
Fuse Size A	10
Connection voltage V	220-240
Number of phases	1NPE
Frequency Hz	50
Startup current A	2.3
Protection rating (IP)	43
Type of the refrigerant	R290A
Quantity of refrigerant g	92
Energy class rating	D