

Integration kit for Metos SelfCookingCenter XS

The Metos SelfCookingCenter XS integration kit guarantees an attractive image at any time, anywhere. It is easy to install and ensures a pleasant kitchen environment as steam is absorbed and dissipated. The kit includes a concealment kit made of hygienic stainless steel and a special integrated UltraVent XS which absorbs and dissipates steam. Targeted air circulation also provides the necessary cooling for the unit in the cabinets.

- / For hygienic integration of a SelfCookingCenter® XS into a wall unit
- / Integrated UltraVent XS absorbs and dissipates steam
- / Eliminates the need for laborious installation of separate air extraction technology
- / Targeted air direction ensures necessary cooling of the unit
- / Stainless steel trim kit fulfills even the most stringent hygiene requirements
- / Attractive design creates a professional, harmonious overall appearance
- / Prevents build-up of soilage in difficult-to-reach places
- / Easy-to-clean grease filter (CNS)
- / High-performance extraction
- / Proximity door contact switch
- / Extraction rate automatically increased when cabinet door is opened
- / Wastewater discharged by the device - no additional discharge line needed
- / Stainless steel trim kit

Inside cabinet dimensions 700 x 600 x 950 mm.



Integration kit for Metos SelfCookingCenter XS

Item width mm	700
Item depth mm	600
Item height mm	950
Package volume	0.092
Unit of volume	m3
Package volume	0.092 m3
Package length	58
Package width	66
Package height	24
Package unit of dimension	cm
Package dimensions (LxWxH)	58x66x24 cm
Net weight	25.5
Net weight	25.5 kg
Gross weight	35
Package weight	35 kg
Unit of weight	kg
Connection power kW	0.14
Fuse Size A	6
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50/60
Sound level dB	67
Ventilation machine m³/h	560

SelfCookingCenter® XS (6 2/3)

Integration Kit (1/2)

Installation Manual

