

# Refrigerator Metos Start MG50R TN HP R290

Temperature range 0°C...+10°C. Ambient temperature +43°

- EVJ touch controller with big display of maximum 30 mm size numbers, possibility to adjust set temperatures
- overcooling function, keeps the compressor on work 30 minutes without breaks
- able to store up to 3 alarms, device provides the critical temperature values and duration of the alarm
- stainless steel interior and exterior, except painted galvanised back wall
- rounded inner corners makes it easy to clean the compartment
- automatic defrost and hot gas condensate evaporation, manual defrosting also possible
- polyurethane insulation
- hermetic air-condensed compressor in the upper part of the cabinet
- evaporator with fan is placed in the inner roof under a cover plate
- 4 pc 430\*530 mm stainless steel grids
- grids are easy to remove for cleaning and grid support rail distance is 50 mm
- lockable, self closing door, which stays open when door angle is over 90°
- right handed door, which is reversible if needed
- removable door seals without use of tools
- automatic cabinet light
- sturdy adjustable stainless steel feet

Options for extra price:

- grid shelf, couple of slides for grids, castors, foot pedal, haccp



## Refrigerator Metos Start MG50R TN HP R290

|                               |              |
|-------------------------------|--------------|
| Product capacity              | 388 litres   |
| Inside measures mm            | 450x580x1370 |
| Item width mm                 | 600          |
| Item depth mm                 | 700          |
| Item height mm                | 2080         |
| Net volume l                  | 300 litres   |
| Package volume                | 1.084        |
| Unit of volume                | m3           |
| Package volume                | 1.084 m3     |
| Package length                | 64           |
| Package width                 | 77           |
| Package height                | 220          |
| Package unit of dimension     | cm           |
| Package dimensions (LxWxH)    | 64x77x220 cm |
| Net weight                    | 102          |
| Net weight                    | 102 kg       |
| Gross weight                  | 115          |
| Package weight                | 115 kg       |
| Unit of weight                | kg           |
| Connection power kW           | 0.28         |
| Fuse Size A                   | 10           |
| Connection voltage V          | 230          |
| Number of phases              | 1NPE         |
| Frequency Hz                  | 50           |
| Protection rating (IP)        | X4           |
| Type of electrical connection | Plug         |
| Cooling capacity W            | 200          |
| Type of the refrigerant       | R290         |
| Quantity of refrigerant g     | 66           |

## Refrigerator Metos Start MG50R TN HP R290

|                     |                   |
|---------------------|-------------------|
| Sound level dB      | 48                |
| Energy class rating | B                 |
| Raw material        | stainless steel   |
| Hinge location      | right             |
| Temperature area °C | 0/10              |
| Rail distance mm    | 60                |
| Number of chambers  | 1                 |
| Shelf size mm       | 430x530           |
| Lighting            | LED               |
| Cooling unit        | With cooling unit |
| Defrosting          | automatic         |
| Temperature probe   | No                |
| Fill in trolleys    | No                |
| Glass door          | No                |