

# Glassdoor refrigerator

## Metos Start MG50LTNV HP R290

Temperature range +2°C...+10°C. Ambient temperature +32°

- EVJ touch controller with big display of maximum 30 mm size numbers, possibility to adjust set temperatures
- overcooling function, keeps the compressor on work 30 minutes without breaks
- able to store up to 3 alarms, device provides the critical temperature values and duration of the alarm
- stainless steel interior and exterior, except painted galvanised back wall
- rounded inner corners makes it easy to clean the compartment
- automatic defrost and hot gas condensate evaporation, manual defrosting also possible
- polyurethane insulation
- hermetic air-condensed compressor in the upper part of the cabinet
- evaporator with fan is placed in the inner roof under a cover plate
- 4 pc stainless steel grids 430\*530 mm shelves and 4 pairs of grid supports
- grids are easy to remove for cleaning and grid support rail distance is 50 mm
- lockable, self closing door, which stays open when door angle is over 90°
- left handed glass door, which is reversible if needed
- removable door seals without use of tools
- automatic cabinet light
- sturdy adjustable stainless steel feet

Options for extra price:

- grid shelf, couple of slides for grids, kit 4 pc castors



## Glassdoor refrigerator Metos Start MG50LTV HP R290

Product capacity	388 litres
Item width mm	600
Item depth mm	700
Item height mm	2080
Net volume l	300 litres acc. to EN16825
Package volume	1.056
Unit of volume	m3
Package volume	1.056 m3
Package length	64
Package width	75
Package height	220
Package unit of dimension	cm
Package dimensions (LxWxH)	64x75x220 cm
Net weight	115
Net weight	115 kg
Gross weight	128
Package weight	128 kg
Unit of weight	kg
Connection power kW	0.3
Fuse Size A	10
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50
Protection rating (IP)	X4
Type of electrical connection	Plug
Cooling capacity W	303
Type of the refrigerant	R290
Quantity of refrigerant g	66
Sound level dB	48

## Glassdoor refrigerator Metos Start MG50LTNV HP R290

Energy class rating	E
Raw material	stainless steel
Hinge location	left
Temperature area °C	+2C - +10C
Rail distance mm	60
Number of chambers	1
Shelf size mm	430x530
Lighting	LED
Cooling unit	With cooling unit
Defrosting	automatic
Temperature probe	No
Fill in trolleys	No
Glass door	Yes