

Range Ardox S4 D-I 400V 3N~ OUTLET

Flat-top range with 4 x 3,5 kW cooking zones. To be integrated in existing work table

- requires only 170 mm space below the table surface
- chrome-steel top, construction stainless steel
- chrome on the cooking top reduces heat loss
- stepless power regulators and signal lights
- the controls are deliverd temporarily placed on a sheet panel
- seamless gutter surrounds the flat top and funnels boil-overs and cleaning water to drain
- flat cooking top is easy to clean
- the flat top can be opened from the top for installation and service purpose NOTE the product requires additional planning and installation work





Range Ardox S4 D-I 400V 3N~ OUTLET

Item width mm	804
Item depth mm	804
Item height mm	180
Package volume	0.243
Unit of volume	m3
Package volume	0.243 m3
Package length	90
Package width	90
Package height	30
Package unit of dimension	cm
Package dimensions (LxWxH)	90x90x30 cm
Net weight	65
Net weight	65 kg
Gross weight	100
Package weight	100 kg
Unit of weight	kg
Connection power kW	14
Fuse Size A	32
Connection voltage V	400/230
Number of phases	3NPE
Frequency Hz	50
Startup current A	30.6
Protection rating (IP)	X3
Type of electrical connection	Fixed
Electrical conn. height mm	800
Remarks (electrical)	Working current 31A
Power type	electric
Туре	electric
Operation type	electromechanical

Range Ardox S4 D-I 400V 3N~ OUTLET

Top material type	chrome
Cooking zone	4
Cooking zone power kW	3.5
Power range kW	14
Frying top type	smooth