

Combi oven Memo ICEM 071,7 guide rails OUTLET

The Metos Memo ICEM 071 is a sturdy and durable combination oven. A clear operating panel and easy-to-select functions combined with easy cleaning of the oven surfaces make the oven easy to use and clean.

The Metos Memo ICEM 071 combine furnace has 7 outlet pairs with outlet interval of 70 mm. The outlets can be used with GN1 / 1 or 600x400 mm baking pans.

The heating functions of a direct steam oven are adjustable steam boiling + 50 ° C to + 130 ° C, convection air + 50 ° C to + 260 ° C and combination operation + 50 ° C to + 260 ° C. The three switches on the control panel make it easy and quick to control the oven. The automatic directional fan ensures a steady cooking result. Manual vapour extraction in the chamber.

The structure of the Metos Memo ICEM 071 combination oven is of stainless steel. The seamless and smooth surfaces of the chamber with rounded corners, hinged inside, opening fan cover and removable tray rack make it easy to keep the device clean. An external wash shower is available as an accessory.

The double-glazed, left-handed door is equipped with heat-reflecting slotted glasses that, together with the air gap between the glasses, reduce heat radiation while retaining heat inside the unit, avoiding unnecessary energy loss.

- 7 guide outlet pairs, outlet interval 70 mm
- guides for GN1 / 1 or 600x400 mm containers
- steam cooking + 50 ° C to + 130 ° C, convection air + 50 ° C ... + 260 ° C, combination function + 50 ° C ... + 260 ° C
- direct steam
- electromechanical
- LED



lighting in the oven chamber

- automatic reversing of the fan

ACCESSORIES (ordered separately)

- wash shower
- open base with GN guides
- various cooking pots and dishes
- right-hand door
- steam cooler hood
- mounting set for installation on top lighting in the oven chamber
- automatic reversing of the fan

ACCESSORIES (ordered separately)

- wash shower
- open base with GN guides
- various cooking pots and dishes
- right-hand door
- steam cooler hood
- mounting set for installation on top

Combi oven Memo ICEM 071,7 guide rails OUTLET

Product capacity	7 x GN1/1-65
Item width mm	812
Item depth mm	725
Item height mm	935
Package volume	0.736
Unit of volume	m3
Package volume	0.736 m3
Package length	91
Package width	86.5
Package height	93.5
Package unit of dimension	cm
Package dimensions (LxWxH)	91x86.5x93.5 cm
Net weight	90
Net weight	90 kg
Gross weight	102
Package weight	102 kg
Unit of weight	kg
Connection power kW	12.5
Fuse Size A	16
Connection voltage V	400
Number of phases	3NPE
Frequency Hz	50
Protection rating (IP)	X4
Type of electrical connection	Semifixed
Cold water diam.	2*3/4"
Cold water conn. height mm	55
Drain diameter	40
Drain conn. height mm	49
Sound level dB	65

Combi oven Memo ICEM 071,7 guide rails OUTLET