

Washer extractor Metos SC65V with valve drain

Professional washer extractor Metos SC65V with a drain valve is easy to use, thanks to the preselected programs and the clear digital display. A high spin removes the excess water from the textiles and shorten the drying time.

The washer extractor Metos SC65V is suitable for use when washing times are up to four times per day. The capacity of the washer extractor is 6,5 kg and the extraction speed is 1400 rpm. The washer extractor has a number of preselected programs (white 90°C, white/color 60°C, white/color 40°C, super quick wash 60°C, super quick wash 40°C, synthetics 40°C, wool/hand wash 30°C, rinse) that can be replaced. The display shows the program name, the water temperature and the spin speed. The time remaining is shown in hours and minutes in the display. Once a program is selected, the estimated program time is displayed. The washer door opens automatically once the program has finished (possible to deactivate). Two minutes after the wash program finishes the display backlighting enters energy saving mode.

The washer extractor has a soap hopper (pre-wash, main wash, fabric softener compartments) at the front that makes the detergent dosing easy. The detergent compartment, trap and drainage are easy to remove and attach that makes the cleaning easier.

Matching dryer DAM6 available - space saving when placed on top.

- With drain valve
- Capacity 6,5 kg
- Extraction speed 1400 rpm (G-Factor 530)
- Drum volume 60 liters
- Drum diameter Ø480 mm
- Stainless steel drum and tub
- Door glass
-



Stainless steel look

- Low energy consumption
- Language settings: US English, English, Swedish, Danish, Norwegian, Finnish, French, German, Italian, Spanish, Russian, Dutch
- Child-safe option
- Freestanding
- mopp- och mikrofiberprogrammen kan aktiveras

OPTIONAL (TO BE ORDERED SEPARATELY):

- Stacking kit SC65+DAM6
- Liquid soap board Stainless steel look
- Low energy consumption
- Language settings: US English, English, Swedish, Danish, Norwegian, Finnish, French, German, Italian, Spanish, Russian, Dutch
- Child-safe option
- Freestanding
- mopp- och mikrofiberprogrammen kan aktiveras

OPTIONAL (TO BE ORDERED SEPARATELY):

- Stacking kit SC65+DAM6
- Liquid soap board

Washer extractor Metos SC65V with valve drain

Product capacity	6.5 kg
Item width mm	595
Item depth mm	585
Item height mm	850
Package volume	0.368
Unit of volume	m3
Package volume	0.368 m3
Package length	91.5
Package width	61
Package height	66
Package unit of dimension	cm
Package dimensions (LxWxH)	91.5x61x66 cm
Net weight	73
Net weight	73 kg
Gross weight	77
Package weight	77 kg
Unit of weight	kg
Connection power kW	3.2
Fuse Size A	10
Connection voltage V	400
Number of phases	3NPE
Frequency Hz	50
Protection rating (IP)	X4
Type of electrical connection	Semifixed
Remarks (electrical)	re-wireable to 230V 1NPE
Cold water diam.	3/4"
Cold water min pressure kPa	300
Drain diameter	3"
Drain flow l/s	3

Washer extractor Metos SC65V with valve drain