

Cold display Metos Teatro 1FOC1200-900 L

Metos Teatro is a stylish service display that brings out the products in an attractive and selling way. The bright LED lighting of the display is evenly distributed throughout the display area and highlights the colors and delicacy of the products well. The height of the display also allows good visibility between the seller and the customer. Thanks to its sloping back, the seller can easily reach to pick up products from the front of the display as well. Products for sale can also be placed on top of the display.

The display also has plenty of refrigerated storage space for supplementary products. At the bottom there is a GN1/1 -sized refrigerator and 2 GN1/1-150 drawers. The display section has an adjustable fan speed. The temperature range in the display is adjustable between + 4°C ... + 8°C. The storage temperature of the refrigerator and drawers is + 5°C. The dimensions of the large product level are 530x1180 mm, which means that the dimension corresponds to 3xGN1/1. The level is 90 cm above the floor. The front of the level has a removable low stainless steel protective edge that prevents products from being placed on top of the air grid.

The display can be recessed in the line or placed freely in the sales area. When placed free-standing, we recommend ordering kick plates covering the base section of the display. The display part is tempered 6 mm glass, the rest is made of stainless steel.

DELIVERY INCLUDES:

- A pair of GN runners in the refrigerator

ACCESSORIES (to be ordered separately):

- stainless steel kick



plates

- GN-containers
- hatches on the seller's side plates
- GN-containers
- hatches on the seller's side

Cold display Metos Teatro 1FOC1200-900 L

Item width mm	1200
Item depth mm	750
Item height mm	1208
Package volume	1.658
Unit of volume	m3
Package volume	1.658 m3
Package length	130
Package width	85
Package height	150
Package unit of dimension	cm
Package dimensions (LxWxH)	130x85x150 cm
Net weight	162
Net weight	162 kg
Gross weight	175
Package weight	175 kg
Unit of weight	kg
Connection power kW	0.9
Fuse Size A	10
Connection voltage V	220-240
Number of phases	1NPE
Frequency Hz	50
Startup current A	4
Protection rating (IP)	43
Type of the refrigerant	R290
Quantity of refrigerant g	140