

Coffee brewer Metos CBS-1242 Plus with two brewing units

The Metos CBS-1242 Plus coffee brewer is a perfect hot beverage solution for medium- to large-sized venues such as Banquet Halls, Cafeterias and Restaurants. Designed specifically for high-volume batch brewing. Batch buttons are pre-programmed at the factory. If desired the USB port can be used to upload and download recipes.

Cascading spray dome is a patented design which provides even saturation of the coffee bed for maximum extraction. Lime resistant design makes for less service calls.

ECO mode reduces tank temperature during periods of non-operation to cut down on electricity usage.

Plastic brew basket with a capacity of 227 grams and advanced design to provide a deeper bed depth and superior thermal insulation for better extraction.

- two brewing units for two thermos
- capacity: 56 l/h. Cups/hour when factory setting is used: 255 x 236 ml, 170 x 355 ml, 128 x 473 ml or 102 x 591 ml
- brewing time 2-12 minutes (factory set 5,5 min brew time, 0% prewet, 93°C water, 3 l batch)
- can be used with a 4 litres Luxus thermos
- fixed water connection
- manual hot water tap, on 310 mm height from the table
- plastic brew basket, on 540 mm height from the table
- automatic water filling
- Push Button Interface
- pre-wetting, pulse brew, drip delay, brew time and brew volume programmable
- descale indicator
- ECO mode
- USB
- laser welded tank, 28,3 litres

Extra accessories: (will be charged separately)

- 4 litres Luxus thermos, high
- 4 litres Luxus



thermos, low + serving station

- filter papers F002

- brew basket

- water filter cartridges thermos, low + serving station

- filter papers F002

- brew basket

- water filter cartridges

Coffee brewer Metos CBS-1242 Plus with two brewing units

Product capacity	2 x 4 litres thermos
Item width mm	500
Item depth mm	380/520
Item height mm	880
Package volume	0.333
Unit of volume	m ³
Package volume	0.333 m ³
Package length	63.5
Package width	59
Package height	89
Package unit of dimension	cm
Package dimensions (LxWxH)	63.5x59x89 cm
Net weight	21.3
Net weight	21.3 kg
Gross weight	26
Package weight	26 kg
Unit of weight	kg
Connection power kW	5.5
Fuse Size A	13
Connection voltage V	400/230
Number of phases	2NPE
Frequency Hz	50
Type of electrical connection	Semifixed
Remarks (electrical)	no cable with machine
Cold water diam.	3/8"
Cold water flow l/min	5
Cold water min pressure kPa	138
Cold water max pressure kPa	517
Drain diameter	19

Coffee brewer Metos CBS-1242 Plus with two brewing units

Drain conn. inlet	Behind
Floor drain needed	Yes
Cleaning	hand wash
Data transfer	USB
Programmability	programmable
Portion size	2x4 l