

# Refrigerator Metos Gastro C 300 inox R290

10 pair of guide rails. No shelves in cabinet. GN 1/1 or GN 1/2 fits to guide rails

- extra guide rails and shelves available, max 20 pc per cabinet
- temperature range +1...+10°C
- ambient temperature +16...+43°C
- electronic thermostat, possibility to adjust set temperatures
- stainless steel interior and exterior, except painted galvanised back wall
- rounded inner corners makes it easy to clean the compartment
- automatic defrost and hot gas condensate evaporation, manual defrosting also possible
- insulation with CFC and HCFC- free polyurethane, thickness 60 mm
- hermetic air cooled cooling unit in the upper part of the cabinet
- lockable, self closing door, which stays open when door angle is over 90°
- delivered with right handed door, which is easily reversible if needed
- removable door seals without use of tools
- sturdy adjustable feet

Options for extra price:

- grid shelf 325\*530 mm, couple of slides, foot pedal



## Refrigerator Metos Gastro C 300 inox R290

Product capacity	net volume 293 l
Item width mm	520
Item depth mm	700
Item height mm	2020
Package volume	1.052
Unit of volume	m3
Package volume	1.052 m3
Package length	62
Package width	80
Package height	212
Package unit of dimension	cm
Package dimensions (LxWxH)	62x80x212 cm
Net weight	100
Net weight	100 kg
Gross weight	110
Package weight	110 kg
Unit of weight	kg
Connection power kW	0.39
Fuse Size A	10
Connection voltage V	230
Number of phases	1PE
Frequency Hz	50
Protection rating (IP)	44
Type of electrical connection	Plug
Condensing temperature °C	40
Evaporation temperature °C	-10
Type of the refrigerant	R290
Sound level dB	49
Heat load sensitive W	710

## Refrigerator Metos Gastro C 300 inox R290

Energy class rating	E
Daily power cons. kWh	2.3
Raw material	stainless steel
GN size	1/1