

Refrigerated display Metos VK38-120 with R600A

The cold basin Metos VK38-120 is convenient and lightweight, small in space and easily movable. The basin can be placed on the table or installed in the working space by means of the support legs or shelf above the table level, providing the raw materials easily at hand..

The capacity of the cold basin VK38-120 is for four GN 1/3 dishes. The glass part on the bottom of the basin protects the raw materials from splashing. The device has a clear digital display and its temperature is adjustable between +2°C...+10°C . The structure of the basin is made of stainless steel, the glass part is of impact-resistant glass.

- capacity 4xGN1/3
- temperature adjustment +2°C...+10°C.
- static cooling
- manual thawing
- electronic thermostat
- device stainless steel SS304, glass part of impact-resistant glass.
- 4 adjustable legs

ACCESSORIES (ordered separately)

- GN dishes
- basin lid is of stainless steel



Refrigerated display Metos VK38-120 with R600A

Product capacity	4xGN1/3
Item width mm	1200
Item depth mm	395
Item height mm	225/425
Package volume	0.175
Unit of volume	m ³
Package volume	0.175 m ³
Package length	128
Package width	44
Package height	31
Package unit of dimension	cm
Package dimensions (LxWxH)	128x44x31 cm
Net weight	28
Net weight	28 kg
Gross weight	30
Package weight	30 kg
Unit of weight	kg
Connection power kW	0.34
Fuse Size A	13
Connection voltage V	220-240
Number of phases	1NPE
Frequency Hz	50
Protection rating (IP)	20
Drain diameter	24
Drain conn. height mm	228
Floor drain needed	Yes
Type of the refrigerant	R600A
Quantity of refrigerant g	40
Sound level dB	47

Refrigerated display Metos VK38-120 with R600A

Daily power cons. kWh

0.16