

Ceramic Plate Metos Drop- In CPL 800

Heated ceramic plate 2 x GN 1/1. Drop-in model without side panels

- unit's edge is 15 mm above the furniture's top plate
- temperature's adjusting with power controller



Ceramic Plate Metos Drop-In CPL 800

| | |
|-------------------------------|-------------------------|
| Product capacity | 2 GN 1/1 |
| Item width mm | 800 |
| Item depth mm | 650 |
| Item height mm | 355 |
| Package volume | 0.238 |
| Unit of volume | m3 |
| Package volume | 0.238 m3 |
| Package length | 85 |
| Package width | 70 |
| Package height | 40 |
| Package unit of dimension | cm |
| Package dimensions (LxWxH) | 85x70x40 cm |
| Net weight | 28 |
| Net weight | 28 kg |
| Gross weight | 28 |
| Package weight | 28 kg |
| Unit of weight | kg |
| Connection power kW | 0.5 |
| Fuse Size A | 10 |
| Connection voltage V | 230 |
| Number of phases | 1NPE |
| Frequency Hz | 50/60 |
| Startup current A | 2.2 |
| Protection rating (IP) | 43 |
| Type of electrical connection | Plug |
| Remarks (misc.) | drop-in hole 655x550 mm |
| Function | warm |
| GN size | 2GN1/1 |
| Power range kW | 0.5 |

Ceramic Plate Metos Drop-In CPL 800