

Hand-out Shelf, removable Metos Proff HSR-800

Construction of stainless steel and tempered glass. Glasses are easy to remove and clean
- removable, can be installed afterwards to Proff equipment



Hand-out Shelf, removable Metos Proff HSR-800

Item width mm	795
Item depth mm	210
Item height mm	300
Package volume	0.06
Unit of volume	m3
Package volume	0.06 m3
Package length	81.5
Package width	23
Package height	32
Package unit of dimension	cm
Package dimensions (LxWxH)	81.5x23x32 cm
Net weight	11
Net weight	11 kg
Gross weight	11
Package weight	11 kg
Unit of weight	kg

Hand-out Shelf, removable Metos Proff HSR-800

Product capacity	800x650mm plane + 8 GN1/1-100
Item width mm	800
Item depth mm	650
Item height mm	900
Package volume	0.701
Unit of volume	m3
Package volume	0.701 m3
Package length	85
Package width	75
Package height	110
Package unit of dimension	cm
Package dimensions (LxWxH)	85x75x110 cm
Net weight	45

Hand-out Shelf, removable Metos Proff HSR-800

Net weight	45 kg
Gross weight	57
Package weight	57 kg
Unit of weight	kg
Connection power kW	0.3
Fuse Size A	16
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50/60
Startup current A	1.3
Protection rating (IP)	43
Type of electrical connection	Plug
Operation type	electromechanical
Cleaning	hand wash
Number of chambers	2
Power range kW	0.3
Lighting	without lighting
Fill in trolleys	No
Humidification	No
Timer	No

Hand-out Shelf, removable Metos Proff HSR-800

Product capacity	800x650mm plane + 8 GN1/1-100
Item width mm	800
Item depth mm	650
Item height mm	900
Package volume	0.701
Unit of volume	m3
Package volume	0.701 m3
Package length	85
Package width	75

Hand-out Shelf, removable Metos Proff HSR-800

Package height	110
Package unit of dimension	cm
Package dimensions (LxWxH)	85x75x110 cm
Net weight	85
Net weight	85 kg
Gross weight	85
Package weight	85 kg
Unit of weight	kg
Connection power kW	0.8
Fuse Size A	16
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50/60
Startup current A	3.5
Protection rating (IP)	43
Type of electrical connection	Plug
Cleaning	hand wash
GN size	8 GN1/1-100
Number of chambers	2
Power range kW	0.8
Fill in trolleys	No
Humidification	No
Timer	No

Hand-out Shelf, removable Metos Proff HSR-800

Product capacity	800x650mm plane + 8 GN1/1-100
Item width mm	800
Item depth mm	650
Item height mm	900
Package volume	0.701
Unit of volume	m ³

Hand-out Shelf, removable Metos Proff HSR-800

Package volume	0.701 m3
Package length	85
Package width	75
Package height	110
Package unit of dimension	cm
Package dimensions (LxWxH)	85x75x110 cm
Net weight	85
Net weight	85 kg
Gross weight	85
Package weight	85 kg
Unit of weight	kg
Connection power kW	0.8
Fuse Size A	16
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50/60
Startup current A	3.5
Protection rating (IP)	43
Type of electrical connection	Plug

Hand-out Shelf, removable Metos Proff HSR-800

Item width mm	800
Item depth mm	650
Item height mm	900
Package volume	0.655
Unit of volume	m3
Package volume	0.655 m3
Package length	85
Package width	70
Package height	110
Package unit of dimension	cm

Hand-out Shelf, removable Metos Proff HSR-800

Package dimensions (LxWxH)	85x70x110 cm
Net weight	95
Net weight	95 kg
Gross weight	119
Package weight	119 kg
Unit of weight	kg
Connection power kW	0.8
Fuse Size A	16
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50
Startup current A	3.5
Protection rating (IP)	43
Type of electrical connection	Plug
Operation type	electromechanical
Cleaning	hand wash
GN size	5xGN1/1-150
Power range kW	0.8
Lighting	without lighting
Amount of drawers	5
Humidification	No
Timer	No

Hand-out Shelf, removable Metos Proff HSR-800

Item width mm	800
Item depth mm	650
Item height mm	900
Package volume	0.655
Unit of volume	m3
Package volume	0.655 m3
Package length	85

Hand-out Shelf, removable Metos Proff HSR-800

Package width	70
Package height	110

Package unit of dimension	cm
Package dimensions (LxWxH)	85x70x110 cm
Net weight	95
Net weight	95 kg
Gross weight	95
Package weight	95 kg
Unit of weight	kg
Connection power kW	0.3
Fuse Size A	16
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50/60
Startup current A	1.3
Protection rating (IP)	43
Type of electrical connection	Plug
Operation type	electromechanical
Cleaning	hand wash
GN size	5
Power range kW	0.3
Lighting	without lighting
Fill in trolleys	No
Humidification	No
Timer	No

Hand-out Shelf, removable Metos Proff HSR-800

Product capacity	2xGN1/1-210 + 6XGN1/1-100
Item width mm	800
Item depth mm	650
Item height mm	900

Hand-out Shelf, removable Metos Proff HSR-800

Package volume	0.655
Unit of volume	m3
Package volume	0.655 m3
Package length	85

Package width	70
Package height	110
Package unit of dimension	cm
Package dimensions (LxWxH)	85x70x110 cm
Net weight	75
Net weight	75 kg
Gross weight	80
Package weight	80 kg
Unit of weight	kg
Connection power kW	1.4
Fuse Size A	16
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50/60
Startup current A	6.1
Protection rating (IP)	43
Type of electrical connection	Plug
Operation type	electromechanical
Cleaning	hand wash
GN size	GN2/1 - 210
Number of chambers	2
Power range kW	1.4
Lighting	without lighting
Fill in trolleys	No
Humidification	No

Hand-out Shelf, removable Metos Proff HSR-800

Timer	No
-------	----

Hand-out Shelf, removable Metos Proff HSR-800

Product capacity	2xGN1/1-210 + 6XGN1/1-100
Item width mm	800
Item depth mm	650
Item height mm	900

Package volume	0.655
Unit of volume	m3
Package volume	0.655 m3
Package length	85
Package width	70
Package height	110
Package unit of dimension	cm
Package dimensions (LxWxH)	85x70x110 cm
Net weight	80
Net weight	80 kg
Gross weight	85
Package weight	85 kg
Unit of weight	kg
Connection power kW	1.4
Fuse Size A	16
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50/60
Startup current A	6.1
Protection rating (IP)	43
Type of electrical connection	Plug
Operation type	electromechanical
Cleaning	hand wash
GN size	2xGN1/1-210 + 6XGN1/1-100

Hand-out Shelf, removable Metos Proff HSR-800

Power range kW	1.4
Lighting	without lighting
Fill in trolleys	No
Humidification	No
Timer	No

Hand-out Shelf, removable Metos Proff HSR-800

Product capacity	GN2/1-200 bain marie
Item width mm	800

Item depth mm	650
Item height mm	900
Package volume	0.505
Unit of volume	m3
Package volume	0.505 m3
Package length	82
Package width	67
Package height	92
Package unit of dimension	cm
Package dimensions (LxWxH)	82x67x92 cm
Net weight	46
Net weight	46 kg
Gross weight	65
Package weight	65 kg
Unit of weight	kg
Connection power kW	1.1
Fuse Size A	16
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50/60
Startup current A	4.8
Protection rating (IP)	43

Hand-out Shelf, removable Metos Proff HSR-800

Type of electrical connection	Plug
Operation type	electromechanical
Cleaning	hand wash
GN size	GN2/1 210 mm
Power range kW	1.1
Lighting	without lighting
Fill in trolleys	No
Humidification	No
Timer	No

Hand-out Shelf, removable Metos Proff HSR-800

Product capacity	2 X GN1/1-150 bain marie
Item width mm	800
Item depth mm	650
Item height mm	900
Package volume	0.468
Unit of volume	m3
Package volume	0.468 m3
Package length	80
Package width	65
Package height	90
Package unit of dimension	cm
Package dimensions (LxWxH)	80x65x90 cm
Net weight	70
Net weight	70 kg
Gross weight	70
Package weight	70 kg
Unit of weight	kg
Connection power kW	1.1
Fuse Size A	16
Connection voltage V	230

Hand-out Shelf, removable Metos Proff HSR-800

Number of phases	1NPE
Frequency Hz	50/60
Startup current A	4.8
Protection rating (IP)	43
Type of electrical connection	Plug
Operation type	electromechanical
Cleaning	hand wash
GN size	2 X GN1/1-150
Power range kW	1.1
Lighting	without lighting
Fill in trolleys	No
Humidification	No
Timer	No

