

Refrigerator Metos Start MG70L TNN HP for meat/fish

Temperature range -2°C...+8°C. Ambient temperature +15°C...+43°C

- EVJ touch controller with big display of maximum 30 mm size numbers, possibility to adjust set temperatures
- overcooling function, keeps the compressor on work 30 minutes without breaks
- able to store up to 3 alarms, device provides the critical temperature values and duration of the alarm
- stainless steel interior and exterior, except painted galvanised back wall
- rounded inner corners makes it easy to clean the compartment
- monoblock condensing unit with fan evaporator placed out of the refrigerated compartment, which add the net capacity and makes it easier to clean inner roof
- automatic defrost and hot gas condensate evaporation, manual defrosting also possible
- 82 mm polyurethane insulation
- refrigerant R290
- hermetic air-condensed compressor in the upper part of the cabinet
- 4 pcs stainless steel grid GN2/1 (650x530 mm) shelves
- moulded interior with rounded guide rails
- grids are easy to remove for cleaning and grid support rail distance is 50 mm
- lockable, self closing door, which stays open when door angle is over 90°
- left handed door, which is reversible if needed
- removable door seals without use of tools
- automatic cabinet light
- sturdy adjustable stainless steel feet

Options for extra price:

- grid shelf, castors, foot pedal, sockel and haccp



Refrigerator Metos Start MG70L TNN HP for meat/fish

Product capacity	617 liters
Inside measures mm	540x670x1480
Item width mm	700
Item depth mm	830
Item height mm	2080
Net volume l	490 litres acc. to EN16825
Package volume	1.449
Unit of volume	m3
Package volume	1.449 m3
Package length	74
Package width	89
Package height	220
Package unit of dimension	cm
Package dimensions (LxWxH)	74x89x220 cm
Net weight	117
Net weight	117 kg
Gross weight	120
Package weight	120 kg
Unit of weight	kg
Connection power kW	0.26
Fuse Size A	10
Connection voltage V	230
Number of phases	1NPE
Frequency Hz	50
Startup current A	1.2
Protection rating (IP)	X4
Type of electrical connection	Plug
Cooling capacity W	245
Type of the refrigerant	R290

Refrigerator Metos Start MG70L TNN HP for meat/fish

Quantity of refrigerant g	51
Sound level dB	48
Energy class rating	A
Raw material	stainless steel
Hinge location	left
GN size	2/1
Temperature area °C	-2/+8
Rail distance mm	60
Shelf size mm	650×530
Lighting	LED
Cooling unit	With cooling unit
Defrosting	automatic
Temperature probe	No
Fill in trolleys	No
Glass door	No