

## Potwasher Metos KP151EL

Potwasher with a door. Four washing cycles (2, 4, 6 and 12 min)

- rack dimensions 550x660 mm
- free opening height 810 mm
- tank volume 25 l
- sound level 71 dB(A)
- electromechanical control panel on the right side of the front panel



## Potwasher Metos KP151EL

Inside measures mm	550x665x805
Item width mm	650
Item depth mm	750
Item height mm	1690/2030
Package volume	1.002
Unit of volume	m3
Package volume	1.002 m3
Package length	70
Package width	80
Package height	179
Package unit of dimension	cm
Package dimensions (LxWxH)	70x80x179 cm
Net weight	145
Net weight	145 kg
Gross weight	160
Package weight	160 kg
Unit of weight	kg
Connection power kW	8
Fuse Size A	16
Connection voltage V	400
Number of phases	3NPE
Frequency Hz	50
Type of electrical connection	Semifixed
Electrical conn. height mm	290
Remarks (electrical)	boiler 6kW
Hot water diam.	3/4"
Hot water flow l/min	10
Hot water conn. height mm	250
Drain diameter	32

## Potwasher Metos KP151EL

Drain flow l/s	3
Drain conn. height mm	330
Sound level dB	71
Boiler power kW	6
Boiler volume L	10
Power type	electric
Operation type	electromechanical
Cleaning	washing program
Washing basket size mm	550x665
Programmability	ready programs
Amount of programs	4
Insulation	insulated
Method of washing	pot wash
Drain pump	No