

Dishwasher Metos Master HOOD 800

Hood-type dishwasher. Hood operated start/stop functions

- washing cycle starts when the hood is closed
- washing cycles: 50 and 180 seconds
- GN1/1 can be washed in the machine
- good washing result: 0,9 kW pump
- free height 400 mm
- anti dropping roof panel
- independent wash/rinse arms
- tank and boiler thermometers
- water supply 50°C
- easy to keep clean thanks to the deep formed tank and rounded corners
- easily removable basket support
- easy to access for maintenance
- rack size 500x500 mm
- tank volume 32 l
- sound level 65 db(A)
- electromechanical control panel on the right side of the front panel

Standard equipment:

- built-in rinse-aid pump
- plate rack
- cup rack
- utensil rack
- strainers for tank

Extra equipment:

- detergent dispenser for liquid detergent
- pressure boosting pump
- drain pump



Dishwasher Metos Master HOOD 800

Product capacity	30 wash cycles / hour
Item width mm	650/720
Item depth mm	730
Item height mm	1410/1880
Package volume	0.844
Unit of volume	m3
Package volume	0.844 m3
Package length	75
Package width	75
Package height	150
Package unit of dimension	cm
Package dimensions (LxWxH)	75x75x150 cm
Net weight	115
Net weight	115 kg
Gross weight	129
Package weight	129 kg
Unit of weight	kg
Connection power kW	6.9
Fuse Size A	10
Connection voltage V	400
Number of phases	3NPE
Frequency Hz	50
Type of electrical connection	Semifixed
Electrical conn. height mm	155
Hot water diam.	3/4"
Hot water flow l/min	10
Hot water conn. height mm	155
Drain diameter	30
Drain flow l/s	3

Dishwasher Metos Master HOOD 800

Drain conn. height mm	400
Boiler power kW	6
Boiler volume L	10
Power type	electric
Operation type	electromechanical
Cleaning	hand wash
Washing basket size mm	500x500
Programmability	ready programs
Amount of programs	2
Insulation	uninsulated
Method of washing	normal wash
Drain pump	No
Automatic hood lift	No
Model	HOOD