

Hoodtype Combi dishwasher Metos WD- 90DUO Touch 400V

The WD-Touch display guides you through the washing process with an intuitive touch screen. Easy navigation with built-in user manuals.. Insulated design with automatic hood lifting

- capacity 6+1 pcs 1/1-65 containers
- can be use both standards baskets and granule cassetts
- break tank, always optimal final rinse water flow
- patented washing system quarantees A good washing and drying result thanks to the high speed centrifuging
- hygiene warranty easies up the HACCP: the electronics of the machine cotrols the washing process
- amasingly low running costs: the machine uses only 4-6 litres fresh water in the final rinse. This also leads to lower consupmtion of energy, rinse aid and detergent.
- round potwashing cassette for efficient wash process
- room for 65mm deep 2/1 container
- room for 600 x 400 mm baking plates
- flexible Rack: GN containers and other cooking utensils easily placed in the Rack without troublesome extra equipment
- 9 washing times (wash times are adjustable)
- 3 for normal wash for glass and china 1,3/1,8/3,3 min
- 3 for heavily soiled wash with granulate 5,1/8,1/10,9 min
- 3 for without granulate 2,5/4,0/7,0 min
- total tank volume 90l
- sound level with granulate wash 70 DB

Equipped with:

- 1 round potwashing cassette
- 1 dishwashingbasket for plates
- 1 dishwashingbasket for cutlerys
- 1 dishwashingbasket for pglasses
- cleaning scraper and 5 kg granules

Options:

- Condensing unit with heat recovery by exhaust



steam

- Extra round potwashing cassette
- Granules 10kg
- Cleaning scraper steam
- Extra round potwashing cassette
- Granules 10kg
- Cleaning scraper

Hoodtype Combi dishwasher Metos WD-90DUO Touch 400V

Product capacity	191 pcs x GN 1/1 / hour
Item width mm	850
Item depth mm	1060
Item height mm	1690/2385
Package volume	2.052
Unit of volume	m3
Package volume	2.052 m3
Package length	120
Package width	90
Package height	190
Package unit of dimension	cm
Package dimensions (LxWxH)	120x90x190 cm
Net weight	330
Net weight	330 kg
Gross weight	350
Package weight	350 kg
Unit of weight	kg
Connection power kW	14.7
Fuse Size A	25
Connection voltage V	400
Number of phases	3NPE
Frequency Hz	50
Protection rating (IP)	55
Type of electrical connection	Fixed
Cold water diam.	1/2"
Cold water min pressure kPa	50
Cold water max pressure kPa	600
Cold water conn. height mm	290
Hot water diam.	1/2"

Hoodtype Combi dishwasher Metos WD-90DUO Touch 400V

Hot water min pressure kPa	50
Hot water max pressure kPa	600
Drain diameter	50
Drain flow l/s	3
Drain conn. height mm	170
Floor drain needed	Yes
Sound level dB	70
Heat load sensitive W	1000
Heat load latent W	500
Boiler power kW	9
Power type	electric
Operation type	electronical
Cleaning	washing program
Features	6+1x1/1GN
Washing basket size mm	500x500
Programmability	ready programs
Amount of programs	6
Insulation	insulated
Drain pump	No
Model	WD-90 DUO