

Vegetable slicer machine

Metos RG-400i

Metos RG-400i is the largest and most efficient Metos vegetablecutter model. Metos RG-400i processes up to 5000 portions per day. With an optional feed hopper - up to 900 kg per hour ja with a pneumatic feed cylinder - 2400 kg per hour. The stainless steel vegetable cutter is ergonomic and safe to use, as well as very easy to clean and, last but not the least, provides a perfect cutting result. Metos RG-400i vegetable cutter can be equipped with an optional manual feeder, feed hopper, 4-tube insert or pneumatic button. Operational reliability, a wide range of different sizes of blades and accessories make this vegetable cutter a device for fast processing of large quantities for restaurants, large kitchens or as a part of a production system.

With the manual feeder you can process both small and big ingredients. The Ergo-loop handle gives a lever effect which also reduces the need for manual force when processing large and hard ingredients such as root vegetables, cabbage and cheese. The machine will stop when feeding device is moved aside and will automatically start when the feeding device is turned back on its place.

Feed hopper is specially designed for preparing round ingredients. Feed hopper enables continuous supply of ingredients into the hopper and thus uninterrupted processing, providing high capacity in a short time.

4-tube insert is specially designed for processing round, long and narrow ingredients. This feeder has four tubes with the following diameters: 73 mm (two tubes), 60 mm and 35 mm. The tubes give good support for



ingredients like cucumbers or leek. Chopping the herbs is also easier with this tool. 4-tube insert works continuously and ensures an uninterrupted preparation of the product.

- machine frame ingredients like cucumbers or leek. Chopping the herbs is also easier with this tool. 4-tube insert works continuously and ensures an uninterrupted preparation of the product.

- machine frame

Vegetable slicer machine Metos RG-400i

Product capacity	40 kg/min
Item width mm	590
Item depth mm	715
Item height mm	1210
Package volume	0.686
Unit of volume	m3
Package volume	0.686 m3
Package length	82
Package width	62
Package height	135
Package unit of dimension	cm
Package dimensions (LxWxH)	82x62x135 cm
Net weight	75
Net weight	75 kg
Gross weight	85
Package weight	85 kg
Unit of weight	kg
Connection power kW	0.9
Fuse Size A	16
Connection voltage V	400
Number of phases	3NPE
Frequency Hz	50/60
Protection rating (IP)	45
Sound level dB	70
Blade diameter mm	215
Portions / 24 h	5000
Speed rpm	400