

Cold Drawer Metos Classic NT1600-GN3-GN3-MGH- GN3

Cold drawer with solid insulated work top. For 10 x GN 1/1 -150 mm (not included)

- overextending telescopic slides, can be removed for cleaning
- stainless steel construction
- urethane foamed good insulation
- effective and removable compressor cassette
- easy to clean condenser
- temperature area: +3° - +10 °C with electronic thermostat
- adjustable feet +20/-45 mm



Cold Drawer Metos Classic NT1600-GN3-GN3-MGH-GN3

Product capacity	10xGN1/1-150
Item width mm	1600
Item depth mm	650
Item height mm	900
Package volume	1.309
Unit of volume	m ³
Package volume	1.309 m ³
Package length	163
Package width	70
Package height	110
Package unit of dimension	cm
Package dimensions (LxWxH)	163x70x110 cm
Net weight	174
Net weight	174 kg
Gross weight	205
Package weight	205 kg
Unit of weight	kg
Connection power kW	0.42
Fuse Size A	10
Connection voltage V	220-240
Number of phases	1NPE
Frequency Hz	50
Startup current A	3
Protection rating (IP)	43
Type of the refrigerant	R290
Quantity of refrigerant g	85
Function	cold
GN size	1/1 150
Power range kW	0.42

Cold Drawer Metos Classic NT1600-GN3-GN3-MGH-GN3

Lighting	without lighting
Amount of drawers	10
Stowage	drawers
Defrosting	automatic