

# Combi Dishwasher Metos WD-12S

Very flexible combi-dishwasher with a large washing compartment for baskets 500x500 as well as other bulky items.

- Adjustable water pressure for normal and/or potwashing.
- Booster heater 12 kW
- Final rinsing with pump
- intermediate tank technology on rinsing
- Automatic cleaning program and guaranteed final rinse temperature.
- An energy saving heat and sound insulating double-skinned hood.
- Automatic hood lift.
- Self-drained wash pump.
- Cable for electrical connection L = 3m.
- 2 baskets are included.

- Free space inside 1100x505\*x600 mm (free depth with foldable metal sheet 570mm)
- Tank volume 100 l
- Weight in operation 385 kg

Options:

- 230V/3/50
- Eco-flow 15 kW
- Cold water connection, booster heater 15 kW
- Sorting metal shelf (internal)
- Stainless basket, 1040x500
- Lowered infeed height, 100mm. Also retrofit




## Combi Dishwasher Metos WD-12S

Product capacity	100 baskets/hour
Item width mm	1295
Item depth mm	815
Item height mm	1694/2355
Package volume	1.994
Unit of volume	m <sup>3</sup>
Package volume	1.994 m <sup>3</sup>
Package length	134
Package width	86
Package height	173
Package unit of dimension	cm
Package dimensions (LxWxH)	134x86x173 cm
Net weight	260
Net weight	260 kg
Gross weight	280
Package weight	280 kg
Unit of weight	kg
Connection power kW	15
Fuse Size A	32
Connection voltage V	400
Number of phases	3NPE
Protection rating (IP)	44
Type of electrical connection	Semifixed
Electrical conn. height mm	440
Hot water diam.	R1/2"
Hot water flow l/min	10
Hot water min pressure kPa	20
Drain diameter	50
Drain flow l/s	3

## Combi Dishwasher Metos WD-12S

Drain conn. height mm	109
Sound level dB	64
Heat load sensitive W	3600
Heat load latent W	1300
Boiler power kW	12
Power type	electric
Operation type	electronical
Cleaning	washing program
Washing basket size mm	500x500
Programmability	ready programs
Amount of programs	3
Insulation	insulated
Method of washing	pot wash
Drain pump	No



This document may not be copied in part or in whole by any process nor passed on to a third party without the written permission of the owner Metos Oy Ab.