

# Convection oven Metos REC051, 5x1/1 GN

The electric convection oven Metos REC051 with capacity of 5x1/1 GN is equipped with the classic electromechanical controls: simple and comfortable to use, with precise adjustments and great reliability in its results.

- convection air +70°C ... +300°C
- convection with humidifier
- timed or continuous operating modes
- electromechanical with manual control
- selector cooking time programmable up to 120 minutes, with warning buzzer at end of cooking time
- autoreverse (automatic reversal of fan rotation)
- humidifier with automatic regulation
- cavity vent and lights
- side runners
- distance between layers 70mm
- stainless steel cooking compartment with long radius rounded corners for a perfect cleaning
- cooking compartment 25 mm thermic insulation
- double glazed door with large air interspace and inner heat reflecting type of glass for a perfect heat insulation and better efficiency
- hinged inner glass for perfect cleaning
- double opening door handle
- oven front panel seal made with heat and age resistant silicon rubber
- opening fan protection cover for a proper cleaning of fan wheel
- cooking compartment heating elements of armoured INCOLOY 800 type
- safety thermostat
- cooking compartment safety device for pressure built-up and depression
- fan motor thermic protection
- mechanical door switch

## OPTIONAL - TO BE REQUESTED WHEN ORDERING OVEN

- extra charge for energy saving system connection
- configuration for connection to



extraction hood extraction hood

## Convection oven Metos REC051, 5x1/1 GN

Product capacity	5x1/1 GN, distance 70mm
Item width mm	830
Item depth mm	640
Item height mm	590+55
Package volume	0.552
Unit of volume	m3
Package volume	0.552 m3
Package length	91
Package width	74
Package height	82
Package unit of dimension	cm
Package dimensions (LxWxH)	91x74x82 cm
Net weight	59
Net weight	59 kg
Gross weight	69
Package weight	69 kg
Unit of weight	kg
Connection power kW	7.25
Fuse Size A	16
Connection voltage V	400
Number of phases	3NPE
Frequency Hz	50
Protection rating (IP)	X3
Cold water diam.	3/4"
Drain diameter	40
Operation type	electromechanical
Hinge location	right
GN size	1/1
Temperature area °C	50-250

## Convection oven Metos REC051, 5x1/1 GN