

## Bratt pan Metos Futura 85L (pan 790x530x90mm)

The short preheating time and strong electrical tilting makes cooking with Metos Futura 85L bratt pan more ergonomic and effortless.

L = frying zone 790x530x90 mm.

The frying surface is made of thick steel which stores heat extremely well throughout the whole frying area. The volume of the pan area is 37 liters. The temperature is adjustable between 0...+250°C. The heating time, to the set temperature, lasts for 5-6 minutes. The seamless surfaces and rounded corners make's the pan easy to clean.

Metos Futura 85L bratt pan has a strong electrical tilting, which makes emptying of the pan more ergonomic. Tilting cannot be started if the lid is closed or the water filling (option) is in progress. Manual tilting is available as a factory option. In addition, the bratt pan can be equipped with height adjustment function (factory option) and water filling tap (factory option). Height adjustment and water filling works by pressing a button.

- balanced lid
- stainless steel external surfaces and lid
- uniform stainless steel frying area
- electro mechanical control
- overheating protection

FACTORY OPTIONS (to be ordered together with the bratt pan):

- height adjustment 800-950 mm
- manual tilting
- water tap



## Bratt pan Metos Futura 85L (pan 790x530x90mm)

Product capacity	37 L, frying surface 790 x 530
Capacity	850×806 ×954
Item width mm	850
Item depth mm	806
Item height mm	954
Package volume	1.058
Unit of volume	m3
Package volume	1.058 m3
Package length	98
Package width	90
Package height	120
Package unit of dimension	cm
Package dimensions (LxWxH)	98x90x120 cm
Net weight	170
Net weight	170 kg
Gross weight	200
Package weight	200 kg
Unit of weight	kg
Connection power kW	10.5
Fuse Size A	16
Connection voltage V	400
Number of phases	3NPE
Frequency Hz	50
Startup current A	15
Protection rating (IP)	X3
Type of electrical connection	Fixed
Electrical conn. height mm	360
Power type	electric
Raw material	Stainless steel





## Bratt pan Metos Futura 85L (pan 790x530x90mm)

Operation type	electromechanical
Cleaning	hand wash
Temperature area °C	50-250
Pan volume L	85
Tilting	electric
Temperature probe	No
Oil filtering	No
Timer	No

# User Manual SE



## METOS FUTURA



② R3/4", optional

Metos	A	B	C	D	E
Futura 60	600	529	120	300*	225
Futura 85	850	779	200	425	225
Futura 110	1100	1029	230	550	225

\* manual tilting 200 mm