

Induction range Metos Eco Kitchen IND-10P-3500

stainless steel casing schott ceramic glass cooking surface:
320 x 320 mm step-less regulation simple to use- only one
knob to turn overheating protection Cooking area diameter
120-230 mm pilot light Plug



Induction range Metos Eco Kitchen IND-10P-3500

| | |
|-------------------------------|-------------------|
| Item width mm | 360 |
| Item depth mm | 440 |
| Item height mm | 185 |
| Package volume | 0.105 |
| Unit of volume | m3 |
| Package volume | 0.105 m3 |
| Package length | 59 |
| Package width | 47 |
| Package height | 38 |
| Package unit of dimension | cm |
| Package dimensions (LxWxH) | 59x47x38 cm |
| Net weight | 11 |
| Net weight | 11 kg |
| Gross weight | 13 |
| Package weight | 13 kg |
| Unit of weight | kg |
| Connection power kW | 3.5 |
| Fuse Size A | 15 |
| Connection voltage V | 230 |
| Number of phases | 1N |
| Frequency Hz | 50 |
| Protection rating (IP) | X3 |
| Type of electrical connection | Plug |
| Power type | electric |
| Type | induction |
| Operation type | electromechanical |
| Top material type | ceramic |
| Cooking zone | 1 |
| Cooking zone size mm | 320x320 |

Induction range Metos Eco Kitchen IND-10P-3500

| | |
|-----------------------|--------|
| Cooking zone power kW | 3.5 |
| Power range kW | 3.5 |
| Frying top type | smooth |