

Ceramic range Metos Diamante D74/10VTC with open cupboard

The Metos Diamante 70 D74/10VTC ceramic range, with an open cupboard, has four Ø230 mm 2.6 kW cooking zones. The unbreakable ceramic hob has Ø230 mm cooking zones, the temperatures of which can be regulated by the 10 position control knobs. The control panel has an indicator light, which illuminates when the hob has been switched on. Two different heating areas can be regulated within the cooking zone, independent of pot size. In addition, the rear of the range is at an incline, which prevents splashes from flowing behind the range.

Every detail of the strong, stylish and hygienic restaurant range series Metos Diamante 70 has been planned as an efficient and functioning solution, from pre-treatment to the preparation of the food itself, without forgetting the need to easily clean the range. Diamante 70 series ranges are available as a table top model as well as with its own cupboard, as single or multiple combined units, and are suitable for use in small to mid-sized to large kitchens. Laser cut range working surfaces allow for the seamless joining together of units into cleanly connected islands or lines in places of heavy use, such as large kitchens.

- four cooking zones (2.6 kW / cooking zone)
- open stand
- large splash proof control knobs
- exterior and feet are made from stainless steel.
- adjustable height 850...920 mm
- overheating protection

EXTRA ACCESSORIES (can be ordered separately):

- cupboard doors;
- cupboard doors for utensil frames;
- utensil frames; knife rack, utensil rack, spice



- rack frame, spice jar rack;
- drawer for the cupboard;
- cupboard guide rails (6 guide rails);
- with a heated bottom;
- socket;
- side panels. rack frame, spice jar rack;
- drawer for the cupboard;
- cupboard guide rails (6 guide rails);
- with a heated bottom;
- socket;
- side panels.

Ceramic range Metos Diamante D74/10VTC with open cupboard

Item width mm	800
Item depth mm	730
Item height mm	870
Package volume	0.618
Unit of volume	m3
Package volume	0.618 m3
Package length	85
Package width	75
Package height	97
Package unit of dimension	cm
Package dimensions (LxWxH)	85x75x97 cm
Net weight	62
Net weight	62 kg
Gross weight	72
Package weight	72 kg
Unit of weight	kg
Connection power kW	10
Fuse Size A	25
Connection voltage V	400
Number of phases	3NPE
Frequency Hz	50/60
Protection rating (IP)	X4
Supply cable size, max mm ²	2.5
Remarks (electrical)	5G2,5mm ²
Model	Diamante