

# Gas Griddle Metos Proxy 78GFTASRT S/S plate 1/3 grooved 2/3 smooth

Gas Griddle Metos Proxy 78GFTASRT with stainless steel plate. 1/3 is grooved and 2/3 smooth plate.

- Moulded top in AISI304 stainless steel with Scotch Brite finish moulded in a single piece and plates hermetically sealed guarantee easy cleaning and prevent infiltrations of grime and water
- Front control panel made of AISI304 stainless steel with Scotch Brite finish and profile designed for easy cleaning
- External panelling in stainless steel with Scotch Brite finish
- Top versions with construction designed for installation on open neutral bases or bases with doors, on refrigerated bases and on top surfaces.
- The gas connection is supplied in the front bottom part of the machine as standard
- Gas versions with piezoelectric ignition equipped with protection against infiltration
- Version with power regulation delivered by a continuous operation tap with temperature regulation from 200°C to 400°C
- Pilot flame and thermocouple safety valve. Piezoelectric ignition.
- Standard h80 mm feet for flat-top installations to facilitate installation, connection and safe maintenance of the equipment
- Upstand splashback with anchor points, supplied as standard.
- Two cooking areas; Plate with a large cooking surface, 796 x 555 mm
- Large stainless steel grease tray with inspection window to monitor the level of liquids inside
- The work surface is slightly inclined to allow it to convey sauces, grease and condiments into the special large-capacity collection drawer

Accessories (separate price):

-



JC joint cover - to prevent infiltration of liquid and grime between the elements

- Neutral open stand M40

- Door for stand M40

- Closing panel for technical cabinet- in-line cooking block

- Closing panel for technical cabinet- opposite cooking block

- Front plinth M40 JC joint cover - to prevent infiltration of liquid and grime between the elements

- Neutral open stand M40

- Door for stand M40

- Closing panel for technical cabinet- in-line cooking block

- Closing panel for technical cabinet- opposite cooking block

- Front plinth M40

---

## Gas Griddle Metos Proxy 78GFTASRT S/S plate 1/3 grooved 2/3 smooth

|                            |                              |
|----------------------------|------------------------------|
| Item width mm              | 800                          |
| Item depth mm              | 700                          |
| Item height mm             | 295                          |
| Package volume             | 0.456                        |
| Unit of volume             | m3                           |
| Package volume             | 0.456 m3                     |
| Package length             | 85                           |
| Package width              | 80                           |
| Package height             | 67                           |
| Package unit of dimension  | cm                           |
| Package dimensions (LxWxH) | 85x80x67 cm                  |
| Net weight                 | 65                           |
| Net weight                 | 65 kg                        |
| Gross weight               | 75                           |
| Package weight             | 75 kg                        |
| Unit of weight             | kg                           |
| Remarks (gas)              | Must be stated when ordering |
| Gas consumption kW         | 13                           |
| Model                      | Proxy                        |