

## Induction range Metos Diamante D72/10TCII table top model, 10

The induction range Metos Diamante D72/10TCII has two ceramic Ø230 mm size 5 kW cooking zones. The cooking plate made of unbreakable ceramic glass, which temperature can be adjusted from the adjustor knobs that have twelve level settings.

When operating the induction stove, the ceramic table top frame does not heat up and the only heat exerted comes from the cooking dish used. Moreover, heat does not collect into or around the stove, only the bottom of the pan and the food inside the pan or dish heat up. Therefore, using an induction stove is quick and safe. In addition, the cleaning of the stove is also easy, as food will not burn onto the cool surface.

Every detail of the strong, stylish and hygienic restaurant range series Metos Diamante 70 has been planned as an efficient and functioning solution, from pre-treatment to the preparation of the food itself, without forgetting the need to easily clean the range. Diamante 70 series ranges are available as a table top model as well as with its own cupboard, as single or multiple combined units, and are suitable for use in small to mid-sized to large kitchens. Laser cut range working surfaces allow for the seamless joining together of units into cleanly connected islands or lines in places of heavy use, such as large kitchens.

- two Ø230 mm cooking zones (5 kW / cooking zone)
- table top model
- large splash proof control knobs
- power adjustable on 12 levels
- the exterior and feet are made of stainless steel
- circular display identifies each cooking area
- with



sensor to detect pot or pan on surface top  
- overheating protection

EXTRA ACCESSORIES (can be ordered separately):  
- open stand sensor to detect pot or pan on surface top  
- overheating protection

EXTRA ACCESSORIES (can be ordered separately):  
- open stand

## Induction range Metos Diamante D72/10TCII table top model, 10

Item width mm	400
Item depth mm	730
Item height mm	250
Package volume	0.108
Unit of volume	m3
Package volume	0.108 m3
Package length	45
Package width	80
Package height	30
Package unit of dimension	cm
Package dimensions (LxWxH)	45x80x30 cm
Net weight	35
Net weight	35 kg
Gross weight	40
Package weight	40 kg
Unit of weight	kg
Connection power kW	10
Connection voltage V	400
Number of phases	3NPE
Frequency Hz	50/60
Model	Diamante