

Combi oven Metos Memo M71

The Metos Memo M71 is a sturdy and durable combination oven. A clear operating panel and easy-to-select functions combined with easy cleaning of the oven surfaces make the oven easy to use and clean.


The Metos Memo M71 combine furnace has 7 outlet pairs with outlet interval of 70 mm. The outlets can be used with GN1 / 1 or 600x400 mm baking pans.

The heating functions of a direct steam oven are adjustable steam boiling + 50 ° C to + 130 ° C, convection air + 50 ° C to + 260 ° C and combination operation + 50 ° C to + 260 ° C. The three switches on the control panel make it easy and quick to control the oven. The automatic directional fan ensures a steady cooking result. Manual vapour extraction in the chamber.

The structure of the Metos Memo M71 combination oven is of stainless steel. The seamless and smooth surfaces of the chamber with rounded corners, hinged inside, opening fan cover and removable tray rack make it easy to keep the device clean. An external wash shower is available as an accessory.

The double-glazed, left-handed door is equipped with heat-reflecting slotted glasses that, together with the air gap between the glasses, reduce heat radiation while retaining heat inside the unit, avoiding unnecessary energy loss.

- 7 outlet pairs, outlet interval 70 mm
- guides for GN1 / 1 or 600x400 mm baking pans
- steam cooking + 50 ° C to + 130 ° C, convection air + 50 ° C ... + 260 ° C, combination function + 50 ° C ... + 260 ° C
- direct steam
- electromechanical selectors
- LED lighting in the oven



chamber

- automatic reversing of the fan
- manual chamber vent
- closing door with double heat-reflective tempered glass with air gap
- internal glass folds open for easy cleaning
- left-handed door
- smooth watertight cooking chamber with rounded edges

ACCESSORIES (ordered separately)

- wash shower
- open base with GN guides
- various cooking pots and dishes
- right-hand door
- steam cooler hood
- mounting set for installation on top chamber
- automatic reversing of the fan
- manual chamber vent
- closing door with double heat-reflective tempered glass with air gap
- internal glass folds open for easy cleaning
- left-handed door
- smooth watertight cooking chamber with rounded edges

ACCESSORIES (ordered separately)

- wash shower
- open base with GN guides
- various cooking pots and dishes
- right-hand door
- steam cooler hood
- mounting set for installation on top

Combi oven Metos Memo M71

Product capacity	7x 1/1GN, 7 x(600x 400)
Item width mm	777
Item depth mm	729
Item height mm	942
Package volume	0.713
Unit of volume	m3
Package volume	0.713 m3
Package length	91
Package width	87
Package height	90
Package unit of dimension	cm
Package dimensions (LxWxH)	91x87x90 cm
Net weight	80
Net weight	80 kg
Gross weight	91
Package weight	91 kg
Unit of weight	kg
Connection power kW	12.5
Fuse Size A	32
Connection voltage V	400
Number of phases	3NPE
Frequency Hz	50
Protection rating (IP)	X3
Cold water diam.	3/4"
Cold water min pressure kPa	2
Cold water max pressure kPa	5
Water hardness °dH	4