

# Stacked washer and dryer Metos STW10

Tumble dryer stacked at the factory on top of the washer extrator. The free standing unit saves floor space.

#### Washer extractor:

- extraction speed 1200 rpm
- stainless steel drum and tub
- soap hopper at the front with four compartments
- six wash programs
- wide door opening for easy loading and unloading
- space saving when dryer placed on top
- drum volume 96,8 litres

#### Tumble dryer vented:

- galvanized steel cylinder
- drum size 198 litres
- oversized lint filter located in front for easy cleaning
- powerful exhaust blower assures short drying times and low operating costs
- wide door opening for easy loading and unloading
- 4 drying programs





### **Stacked washer and dryer Metos STW10**

Product capacity	9,5/8,2 kg
Item width mm	683
Item depth mm	704
Item height mm	1986
Package volume	1.333
Unit of volume	m3
Package volume	1.333 m3
Package length	76
Package width	86
Package height	204
Package unit of dimension	cm
Package dimensions (LxWxH)	76x86x204 cm
Net weight	125
Net weight	125 kg
Gross weight	132
Package weight	132 kg
Unit of weight	kg
Connection power kW	10.1
Connection voltage V	400
Number of phases	3NPE
Frequency Hz	50
Remarks (electrical)	2x16A. 2 electrical connection
Cold water diam.	3/4"
Cold water flow I/min	10
Cold water min pressure kPa	138
Cold water max pressure kPa	827
Cold water conn. height mm	813
Hot water diam.	3/4"
Hot water flow I/min	10

## **Stacked washer and dryer Metos STW10**

Hot water min pressure kPa	138
Hot water max pressure kPa	827
Hot water conn. height mm	813
Drain diameter	39
Drain flow I/s	2
Remarks (drain)	Gravity drain
Operation type	electronical
Drum material	washing: stainless steel drying: galvanized steel
Programmability	ready programs
Amount of programs	6
Insulation	insulated