YESCAL

Revision nr.2 Dated 21/05/2020 Printed on 21/05/2020 Page n. 1 / 9 Replaced revision:1 (Dated 12/10/2017)

(PD)

Safety Data Sheet

According to Annex II to REACH - Regulation 2015/830

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name YESCAL

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Liquid descaler for self-cleaning ovens

Identified UsesIndustrialProfessionalConsumerProducts for washing and cleaningPC: 35.PC: 35.PC: 35.

1.3. Details of the supplier of the safety data sheet

Name YESOVENS SRL
Full address VIA DELL'INDUSTRIA 1
District and Country 35010 BORGORICCO

IT

tel. 049 9336455 fax 049 9335611 CCIAA 133770

e-mail address of the competent person responsible for the Safety Data Sheet

responsible for the Safety Data Sheet INFO@YESOVENS.IT

Product distribution by: YESOVENS SRL

1.4. Emergency telephone number

Produced by

For urgent inquiries refer to Tel. 049 9336455

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2015/830.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Eye irritation, category 2 H319 Causes serious eye irritation.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: Warning

Hazard statements:

H319 Causes serious eye irritation.

Precautionary statements:

P264 Wash hands thoroughly after use.

P280 Wear protective gloves/ protective clothing / eye protection / face protection.

YESCAL

Revision nr.2 Dated 21/05/2020 Printed on 21/05/2020 Page n. 2 / 9 Replaced revision:1 (Dated 12/10/2017)

SECTION 2. Hazards identification .../>>

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice / attention.

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification x = Conc. % Classification 1272/2008 (CLP)

Acido citrico

CAS 5949-29-1 $30 \le x < 50$ Eye Irrit. 2 H319

EC 201-069-1

INDEX

Reg. no. 01-2119457026-42

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: eliminate any contact lenses. Wash immediately with plenty of water for at least 30/60 minutes, opening the eyelids well. Consult a doctor immediately.

SKIN: wash immediately with water and rinse. Change clothes if necessary. If irritation persists or tissue damage occurs, consult a doctor. In case of skin irritation consult a doctor.

INGESTION: DO NOT induce vomiting. Consult a doctor immediately. Never give anything by mouth to an unconscious person or with cramps.

INHALATION: Call a doctor immediately. Bring the subject to fresh air, away from the accident site. If breathing stops, give artificial respiration. Take appropriate precautions for the rescuer.

4.2. Most important symptoms and effects, both acute and delayed

Causes serious eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available.

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING MEDIA: The extinguishing media are the traditional ones: carbon dioxide, foam and chemical powder. For leaks and spills of the product that have not ignited, the nebulized water can be used to disperse the flammable vapors and to protect the people involved in stopping the loss. NON-SUITABLE EXTINGUISHING MEDIA: Do not use water jets. Water is not effective for extinguishing the fire but it can be used to cool closed containers exposed to the flame, preventing bursts and explosions.

5.2. Special hazards arising from the substance or mixture

HAZARDS DUE TO EXPOSURE IN THE EVENT OF FIRE: Avoid breathing combustion products: carbon oxides.

5.3. Advice for firefighters

GENERAL INFORMATION: Cool the containers with water jets to avoid decomposition of the product and the development of substances potentially hazardous for health. Wear, if necessary, complete fire protection equipment. Collect extinguishing water that must not be discharged into drains. Dispose of the contaminated water used for the fire extinguisher and the residue according to the regulations in force. EQUIPMENT: Not necessary for small fires. If necessary, wear fire-fighting clothing such as a fireproof suit (EN469), fireproof gloves (EN659) and boots for firefighters (HO A29 or A30) depending on the amount of product and any other materials involved in the fire.

YESOVENS SRL YESCAL

Revision nr.2 Dated 21/05/2020 Printed on 21/05/2020 Page n. 3 / 9 Replaced revision:1 (Dated 12/10/2017)

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Stop the leak if there is no danger. Wear appropriate protective equipment (including personal protective equipment referred to in section 8 of the safety data sheet) to prevent contamination of the skin, eyes and personal clothing. These indications are valid both for workers involved in the work and for emergency interventions.

6.2. Environmental precautions

Prevent the product from entering sewers, surface waters, water tables.

6.3. Methods and material for containment and cleaning up

Vacuum the leaked product into a suitable container. Evaluate the compatibility of the container to be used with the product, checking section 10. Absorb the remainder with inert absorbent material. Ensure adequate ventilation of the area affected by the loss. Disposal of the contaminated material must be carried out in accordance with the provisions of point 13.

6.4. Reference to other sections

Any information regarding personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

See the exposure scenarios attached to this safety datasheet.

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

EU OEL EU

Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 91/322/EEC.

				Acid	do citrico			
Threshold Lir	mit Value							
Type	Country	Country TWA/8h		STEL/15min		Remarks / C	Observations	
		mg/m3	ppm	mg/m3	ppm			
OEL	EU	10				INHAL		
Predicted no-	effect concentra	ation - PNEC						
Normal value in fresh water							0,44	mg/l
Normal value in marine water							0,044	mg/l
Normal value for fresh water sediment							34,6	mg/kg
Normal value for marine water sediment							3,46	mg/kg
Normal value of STP microorganisms							1000	mg/l
Normal value for the terrestrial compartment							33,1	mg/kg

Legend

(C) = CEILING; INHAL = Inhalable Fraction; RESP = Respirable Fraction; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available; NEA = no exposure expected; NPI = no hazard identified.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is

YESCAL

Revision nr.2 Dated 21/05/2020 Printed on 21/05/2020 Replaced revision:1 (Dated 12/10/2017)

SECTION 8. Exposure controls/personal protection

well aired through effective local aspiration. When choosing personal protective equipment, ask your chemical substance supplier for advice. Personal protective equipment must be CE marked, showing that it complies with applicable standards.

When choosing risk management measures and operating conditions, consult the exposure scenarios attached.

Provide an emergency shower with face and eye wash station.

In the case of prolonged contact with the product, protect the hands with penetration-resistant work gloves (see standard EN 374). Work glove material must be chosen according to the use process and the products that may form. Latex gloves may cause sensitivity reactions.

SKIN PROTECTION

Wear category III professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

It is advisable to wear airtight protective goggles if splashing is foreseeable (see standard EN 166).

In the presence of risks of exposure to splashes or squirts during work, adequate mouth, nose and eye protection should be used to prevent accidental absorption.

Respiratory protection is not normally required. In any case, avoid inhalation of vapors, aerosols and gases. Use self-contained breathing apparatus or masks with filter type "A" during emergency operations. EN 141 gas / vapor filters. A respirator is not required under normal conditions of use and under the conditions for using the product. In case of insufficient ventilation and / or in the case of short or minimal exposure use the mask, wear an appropriate respirator (with filter type "A").

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

For information on controlling environmental exposure, see the exposure scenarios attached to this safety datasheet.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Value **Properties** Appearance liquid Colour colourless Odour odourless Odour threshold Not available 2,6 Melting point / freezing point Not available Initial boiling point 100 Boiling range Not available Flash point Not applicable **Evaporation Rate** Not available Flammability of solids and gases not applicable Lower inflammability limit Not applicable Upper inflammability limit Not applicable Lower explosive limit Not applicable Upper explosive limit Not applicable Not available Vapour pressure Vapour density Not available Relative density 1,542 g/cm3 Solubility insoluble Partition coefficient: n-octanol/water Not available Auto-ignition temperature Not available Decomposition temperature Not available < 200 cps

Viscosity

Explosive properties Not associated with explosive properties

Oxidising properties Not available

9.2. Other information

Information not available.

SECTION 10. Stability and reactivity

In the absence of data relating to the preparation, the following information refers to the substances that make up the mixture.

10.1. Reactivity

Rakes with alkaline substances.

Information

YESCAL

Revision nr.2 Dated 21/05/2020 Printed on 21/05/2020 Page n. 5 / 9 Replaced revision:1 (Dated 12/10/2017)

SECTION 10. Stability and reactivity .../>>

Acido citrico

Reacts with alkaline substances.

10.2. Chemical stability

The product is stable in the recommended storage and use conditions (see paragraph 7).

10.3. Possibility of hazardous reactions

Reacts with alkaline substances.

Acido citrico

Reacts with alkaline substances.

10.4. Conditions to avoid

Avoid dust formation. Do not expose to heat. Avoid moisture. Dusts can form an explosive mixture with air.

Acido citrico

Avoid dust formation. Do not expose to heat. Avoid moisture. Dusts can form an explosive mixture with air.

10.5. Incompatible materials

Oxidizing agents. Strong bases. Amines. Heavy metals.

Acido citrico

Oxidizing agents. Strong bases. Amines. Heavy metals.

10.6. Hazardous decomposition products

In case of fire, carbon oxides can be released.

Acido citrico

In case of fire, carbon oxides can be released.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on toxicological effects

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

LC50 (Inhalation) of the mixture:

LD50 (Oral) of the mixture:

Not classified (no significant component)

Not classified (no significant component)

LD50 (Dermal) of the mixture:

Not classified (no significant component)

Acido citrico

LD50 (Oral) 5400 mg/kg topo

ΕN

YESOVENS SRL

YESCAL

Revision nr.2 Dated 21/05/2020 Printed on 21/05/2020 Page n. 6 / 9 Replaced revision:1 (Dated 12/10/2017)

SECTION 11. Toxicological information .../>>

LD50 (Dermal)

> 2000 mg/kg Ratto

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye irritation

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

Acido citrico

LC50 - for Fish 440 mg/l/48h Leuciscus idus melanotus EC50 - for Crustacea 1535 mg/l/24h Daphnia magna

12.2. Persistence and degradability

Acido citrico

Solubility in water 800 g/l 20°C

Rapidly degradable

12.3. Bioaccumulative potential

Acido citrico

Partition coefficient: n-octanol/water -1,72

12.4. Mobility in soil

Information not available

ΕN

YESOVENS SRL

YESCAL

Revision nr.2 Dated 21/05/2020 Printed on 21/05/2020 Page n. 7 / 9 Replaced revision:1 (Dated 12/10/2017)

SECTION 12. Ecological information .../>>

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

12.6. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number

Not applicable

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Not applicable

14.5. Environmental hazards

Not applicable

14.6. Special precautions for user

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Information not relevant

SECTION 15. Regulatory information

CODICE ISS (Azienda / preparato): 00466200359 / F00V42

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EC: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

3

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage greater than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

ΕN

YESOVENS SRL

YESCAL

Revision nr.2 Dated 21/05/2020 Printed on 21/05/2020 Page n. 8 / 9 Replaced revision:1 (Dated 12/10/2017)

SECTION 15. Regulatory information .../>>

None

Substances subject to the Rotterdam Convention:

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has been performed for the following contained substances Acido citrico

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Eve Irrit. 2 Eye irritation, category 2 H319 Causes serious eye irritation.

Use descriptor system:

PC 35 Washing and cleaning products

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 2015/830 of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament

YESCAL

Revision nr.2 Dated 21/05/2020 Printed on 21/05/2020 Page n. 9 / 9 Replaced revision:1 (Dated 12/10/2017)

SECTION 16. Other information .../>>

- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2018/1480 (XIII Atp. CLP)
- 16. Regulation (EU) 2019/521 (XII Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

Product's classification is based on the calculation methods set out in Annex I of the CLP Regulation, unless otherwise indicated in sections 11 and 12.

The data for evaluation of chemical-physical properties are reported in section 9.

Changes to previous review:

The following sections were modified:

08.

Exposure Scenarios

Product YESCAL

Scenario Title ACIDO CITRICO - PC 35

Revision nr.

File EN_1011_1.pdf